

INCORPORATED

sustainable + handmade portland, oregon



LIGHTING

SINKS + HARDWARE + TILES
LIGHTING RESTORATION + RETROFITTING + HISTORICAL REPLICATION

DO YOU SPEAK ELEEK?

sustainable + handmade

USA

ELEEK PRODUCT LINES














CUSTOM CAPABILITIES

WELCOME TO THE ELEEK SOURCEBOOK!

We have made the leap to a digital catalog in order to save resources and ensure your access to the most up-to-date information. This modern digital catalog offers an unsurpassed experience, with "animated flipping" pages, fast zoom, full interactivity, quick links and clickable indexes. Start browsing immediately with the area links above or the navigation tabs along the side, or simply turn the page. Let us know what you think!





INDEX



BY PRODUCT NUMBER

BY NAME

VISUAL INDEX

HARDWARE

hbp01 Flowers bin pull
hbp02 Windsor bin pull
hbp03 Windsor Square bin pull
hbp04 Wolf/Dragon pull NEW
hbp05Victorian cup pull NEW
hbp07 Flowers small bin pull
hbp08 Windsor Square small bin pull
hdp01 Tidal Wave raised mount
hdp02 Wave 3-finger surface mount
hdp03 Wave 2-finger surface mount
hdp04 Bullet 1-finger hidden mount
hdp05 Wave 1-finger hidden mount
hdp06 Wave 1-finger surface mount
hdp07 Masa-san drawer pull
hdp08 Geta drawer pull
hdp09 Obi drawer pull
hdp10 Zori drawer pull
hdp11 Masako drawer pull
hdp12 Getako drawer pull
hdp13 Pokkurri drawer pull
hdp14 Koppori drawer pull
hdp15 Obiko drawer pull
hdh22 Art Nouveau door handle
hdh32 Art Deco door handle
hha01 Bamboo handle
hkn02 Arts Knob NEW
hkn03 Knob with Backplate NEW
hmk00–09 Mackintosh numbers
hsl01 Bamboo sash lift
hsl02 Scroll sash lift
hsl03 Eastlake sash lift NEW
hslO4 Victorian sash lift NEW
hsp01 Crosshatch Circle 1-switch
hsp02 Crosshatch Circle 2-switch

hsp03									у	nc	rst	У	1-9	SW	itc	h		
hsp04								D)y	nc	ısty	y 2	2-9	SW	itc	h		
hsp05									Lo	att	ice	€	1-9	SW	itc	h		
hsp06		١.	/io	ct	or	ia	ın	C	C	llc	ge	Э	1-9	SW	itc	h		
hsp07									(Clc)UC	b	1-9	SW	itc	h		
hsp08								Р	US	shk	out	ttc	on	р	lat	е		
hsp09							.[)€	ЭС	cof	ind	C	1-9	SW	itc	h		
hsp10.				С	у	nc	zs:	ty	/ [Эе	СО	r	1-9	SW	itc	h	N	W
hsp11.				D	у	nc	as.	ty	<i>'</i> [Эе	СО	r í	2-9	SW	itc	h	N	W
htr01 .											.Tr	ay	/ (la	rge	∋)		
$htr 02 \; . \\$									•	Trc	Ίy	(n	ne	di	un	n)		
htr03 .											.Tr	a,	У	sn	na	II)		

LIGHTING

1000 Cast Iron lantern
1001 Ribcage bollard
1002 Craftsman sconce
1003w
1003p
2004 The Pod pendant
2005 Starlight pendant
2006 UFO pendant
3007 Pagoda surface mount
3008
3009 Neoslide sconce
3010 Small Shield sconce
3011 Shield sconce
3012 Spoon pendant
3013 Trompeta pendant
3014 Three Spoons sconce
3015 Liza pier mount
3016 Francis pendant
3017 Jester sconce
3018 Elliott vanity
3019 Roller sconce

3020p Madison pendant
3020w Madison sconce NEW
3023 Gatsby sconce
3025 Emisora vanity
3026 Zelda sconce
3028 Normandy pendant
3029 Dollop pendant
3030
4038 Tube pendant
4047 Cube pendant
4065
4069 Irvington sconce
4070
4071 Torre bollard
4079 Nightwatch bollard
4080 Pharos sconce
4081 Teahouse sconce
4082 Triptych chandelier
4092 Teahouse chandelier
4095p Takashima pendant
4095w Takashima sconce
4096 Piolet pendant
5102 Pendar pendant
5107 Glogo pendant
5118 Centre ceiling mount
5120 Nightcap bollard
5121Nightcap lamppost
5122 Kabuki chandelier
5126 Pinnacle pier mount
5132 Coquetier pendant
5148 Cirrus pendant
5150 Bellissimo sconce
5151 Hemmingway table lamp
5158 Sentinel sconce
5169 Orbitron sconce
5188 Calliope chandelier

5194						Chimo chandelier
6329						Swan sconce
7361						.Signalite pendant
7365						.Industrio pendant
7366						Nouveau pendant
8370						Liquid pendant NEW
8372						. Lantern pendant NEW
8373						Swing Pendant NEW
8377						Blink sconce NEW
8378						Dulce pendant NEW
9386						Spora pendant NEW
9387						Spear pendant NEW
9397						.Corneta pendant NEW
9398						Barattolo pendant NEW
10399	٠.					. Artiglio pendant NEW
10400).					. Ethos chandelier NEW

SINKS

s1000.								١.	N	at	erfalling sinl
s2000											. Zazen sinl
s3000											.Kidney sinl
s4000											. Ellipse sinl
s5000											.Bowtie sinl
s6000									F	ar	mhouse sinl
s6000c	db			F	a	rn	nh	nc	U	se	e drainboard

INDEX



BY PRODUCT NUMBER

BY NAME

VISUAL INDEX

HARDWARE

Art Deco door handle hdh32 Art Nouveau door handle hdh22 Arts Knob hkn02 Bamboo handle hha01 Bamboo sash lift hsl01 Bullet 1-finger hidden mnt . hdp04 Cloud 1-switch hsp07 Crosshatch Circle 1-switch hsp01 Crosshatch Circle 2-switch . hsp02 Decofino 1-switch hsp09 Dynasty 1-switch hsp03	NEW
Dynasty 2-switch hsp04	
Dynasty Decor 1-switchhsp10	NEW
Dynasty Decor 2-switch hsp11	NEW
Eastlake sash lift hsl03	NEW
Flowers bin pull hbp01	
Flowers small bin pull hbp07	
Geta drawer pull hdp08	
Getako drawer pull hsp12	
Koppori drawer pull hsp14	
Knob with Backplate hkn03	NEW
Lattice 1-switch hsp05	
Mackintosh numbers hmk00–09	
Masako drawer pull hdp11	
Masa-san drawer pull hdp07 $$	
Obi drawer pullhdp07	
Obiko drawer pull hdp15	
Pokkurri drawer pull hdp13	
Pushbutton Plate hsp08	
Tidal Wave raised mount hdp01	
Tray (large) htr01	
Tray (medium)htr02	
Tray (small) htr03	
Scroll sash lift hsl02	

Victorian Collage 1-switch	hsp06	NEW
Victorian cup pull	hbp05	NEW
Victorian sash lift	. hsl04	NEW
Wave 1-finger hidden mnt.	hdp05	
Wave 1-finger surface mnt	hdp06	
Wave 2-finger surface mnt	hdp03	
Wave 3-finger surface mnt	hdp02	
Windsor square bin pull	hbp03	
Windsor sq. small bin pull .	hbp08	
Windsor bin pull	hbp02	
Wolf/Dragon pull	hbp04	NEW
Zori drawer pull	hdp10	

LIGHTING

Artiglio pendant	.10399	NEW
Barattolo pendant	. 9398	NEW
Bellissimo sconce	. 5150)
Blink sconce	. 8377	NEW
Calliope chandelier	. 5188	}
Cast Iron lantern	. 1000)
Centre ceiling mount	. 5118	3
Chimo chandelier	. 5194	ļ
Cirrus pendant	. 5148	3
Corneta pendant	. 9397	NEW
Coquetier pendant	. 5132)
Craftsman sconce	. 1002)
Cube pendant	. 4047	,
Dollop pendant	. 3029)
Dulce pendant	. 8378	NEW
Elliott vanity	. 3018	3
Emisora vanity	. 3025)
Ethos chandelier	10400	NEW
Francis pendant	. 3016)
Gatsby sconce	. 3023	3
Glogo pendant	. 5107	7

Gridlock pendant 3008
Hemmingway table lamp 5151
Icon vanity 4065
Illuminata pendant 1003p
Illuminata sconce 1003w
Industrio pendant 7365
Irvington sconce 4069
Jester sconce 3017
Kabuki chandelier 5122
Lantern pendant8372 NEW
Liquid pendant8370 NEW
Liza pier mount 3015
Madison pendant 3020p
Madison sconce 3020w NEW
Neoslide sconce 3009
Nightcap bollard 5120
Nightcap lamppost 5121
Nightwatch bollard 4079
Normandy pendant 3028
Nouveau pendant 7366
Orbitron sconce 5169
Pagoda surface mount 3007
Pendar pendant 5102
Pharos bollard 4070
Pharos sconce 4080
Pillar sconce 3030
Pinnacle pier mount 5126
Piolet pendant 4096
The Pod pendant2004
Ribcage bollard 1001
Roller sconce 3019
Sentinel sconce 5158
Shield sconce 3011
Signalite Pendant 7361
Small Shield sconce 3010
Spear pendant 9387 NEW

Spoon pendant 3012
Spora pendant 9386 NEW
Starlight pendant 2005
Swan sconce 6329
Swing pendant 8373 NEW
Takashima pendant 4095p
Takashima sconce 4095w
Teahouse chandelier 4092
Teahouse sconce 4081
Three Spoons sconce 3014
Torre bollard 4071
Triptych chandelier 4082
Trompeta pendant 3013
Tube pendant 4038
UFO pendant 2006
Zelda sconce 3026

SINKS

Bowtie sink
Farmhouse sink s6000
Farmhouse drainboard s6000db
Ellipse sink
Kidney sink
Waterfalling sink s1000
Zazen sink



BY PRODUCT NUMBER

BY NAME

VISUAL INDEX

PENDANT

CHANDELIER

SCONCE + VANITY

OTHER LIGHTING

SINKS

HARDWARE

TILE

PENDANT



Starlight



Normandy



The Pod



Dollop



Gridlock



Spoon



UFO



Piolet



Coquetier



Madison



Francis



Illuminata



Glogo



Tube



Pendar



Cirrus



Cube



Takashima



Trompeta



Nouveau



Signalite



Industrio



Spear



Spora



Liquid



Lantern



Barattolo



Dulce



Artiglio



Corneta



Swing



BY PRODUCT NUMBER

BY NAME

VISUAL INDEX

CHANDELIER PENDANT

SCONCE + VANITY

OTHER LIGHTING

SINKS

HARDWARE

TILE

CHANDELIER













Chimo

Teahouse

Kabuki

Calliope

Ethos



PENDANTS WITH CHANDELIER OPTION

Most Eleek pendants can be made into custom chandeliers. Please look for the symbol at left on the pendant pages to see if this option is available.



BY PRODUCT NUMBER

BY NAME

VISUAL INDEX

PENDANT CHANDELIER SCONCE + **VANITY**

OTHER LIGHTING

SINKS

HARDWARE

TILE

SCONCE + VANITY



Illuminata



Jester



Teahouse



Takashima



Craftsman



Sentinel



Bellisimo



Orbitron



Gatsby



Pharos



Neoslide



Small Shield



Shield



Roller



Three Spoons



Irvington



Pillar




Zelda



Elliott





Emisora





Swan



Madison



Blink



BY PRODUCT NUMBER

BY NAME

VISUAL INDEX

PENDANT

CHANDELIER

SCONCE + VANITY

OTHER LIGHTING

SINKS

HARDWARE

TILE

CEILING

TABLE + FLOOR



Centre



Cast Iron



Pagoda



Hemmingway

BOLLARD



Pharos



Nightwatch



Torre



Nightcap boll.



Nightcap lamp.



Ribcage

PIER + CUPOLA



Liza



Pinnacle



BY PRODUCT NUMBER

BY NAME

VISUAL INDEX

PENDANT

CHANDELIER

SCONCE + VANITY

OTHER LIGHTING

SINKS

HARDWARE

TILE

SINKS



Farmhouse



Waterfalling



Ellipse



Bowtie



Zazen



Kidney



BY PRODUCT NUMBER

BY NAME

VISUAL INDEX

PENDANT

CHANDELIER

SCONCE + VANITY

OTHER LIGHTING

SINKS

HARDWARE

TILE

HANDLES, KNOBS + PULLS



Flowers



Flowers Small



Windsor Square Small



Windsor



Windsor Square



Wave 3-Finger



Tidal Wave



Wave 2-Finger



Wave 1-Finger



Wave 1-Finger Hidden



Bullet 1-Finger



Scroll Sash Lift



Bamboo



Bamboo Sash Lift



Arts Knob



Knob with Backplate



Victorian Cup Pull



Victorian Sash Lift



Eastlake Sash Lift



Wolf/Dragon Pull

SWITCHPLATES



Victorian Collage



Pushbutton Plate



Lattice



Cloud



Crosshatch Circle 1



Crosshatch Circle 2



Decofino



Dynasty 1



Dynasty 2



Dynasty Decor 1



Dynasty Decor 2

Hardware Continued



BY PRODUCT NUMBER

BY NAME

VISUAL INDEX

PENDANT

CHANDELIER

SCONCE + VANITY

OTHER LIGHTING


SINKS

HARDWARE

TILES

MASA HARDWARE


100% LOCAL SOURCED RECYCLED ALUMINUM



DOOR HANDLES



Art Deco



Art Nouveau

SIGNAGE



Mackintosh Signage

TRAYS




TILES



Aluminum and Bronze Tiles



Willie Kaster at Willamette Pattern Works



Eric Kaster launches Eleek in 2000

ELEEK INC. officially opened its doors in 2000 when designer and patternmaker Eric Kaster and his marketing-savvy partner, Sattie Clark, scraped together their resources and rented a shop space in Portland, Oregon's southeast industrial area. By that point, however, Eric had already been working on his unique designs and skills for many years.

Eric Kaster is a third-generation patternmaker, a rare thing these days. His grandfather Willie Kaster hired on at Willamette Pattern Works in 1939 and then purchased the business in 1962. Eric spent countless hours as a child playing and sweeping up at the shop. At sixteen, Eric started at Willamette Pattern Works as an apprentice patternmaker. Six years later he achieved journeyman status and started managing the family business.

Simultaneously, on his own time, Kaster was pursuing interest in a variety of mediums including painting, sculpture, photography and graphic design as he worked on remodeling a string of houses that he bought and sold, dreaming of better options for decorative building parts as he went along. Finally he brought his artistic attentions full circle and started designing lighting, sinks, hardware and other architectural accents using cast metal and wood, among other materials.

Eric Kaster's designs are profound in a world where nearly everything we encounter has been designed and overdesigned, vying for our attention and affection. Kaster's pieces sometimes feel old, like relics recovered from archeological ruins. They are sometimes modern and simple, sometimes whimsical or intricate. Always though, whether rustic or polished, they feel authentic, made from real stuff by real hands. Our eyes know the difference. Our hands know the difference. And somehow, inexplicably, our hearts know the difference.

WHAT IS PATTERNMAKING?

Patternmaking is the old world craft of making detailed wood positives from which molds for metal castings are made. It is equal parts precision woodworking and engineering and requires a formidable sense of spacial relationships. As computers take over patternmaking, fewer and fewer people know how to do it by hand. But doing it by hand makes all the difference when you want a handcrafted feel.



AWARDS + SELECTIONS





2010

2009

2008

2007

2006

The Rotary Club of Portland presented Eleek with their 2010 Environmental Achievement Award.

Portland Business Journal named Eleek their 2009 Small Manufacturing Company of the Year.

Eleek is a winner of the RecycleWorks Award 2007-2009 by the City of Portland's Office of Sustainable Development.

EcoHome Magazine selected Eleek products for their 2008 editors' choice awards.

Portland Spaces Magazine recognized Eric Kaster as a Portland "Rising Star" of design in their 2008 Root Awards.

Architectural Lighting's 2007 ACE Awards: Eleek named Most Innovative, Most Frequently Specified, and Most Respected.

Eleek's Ellipse sink is selected for Organic Architecture's Green Product Awards 2007.

Eleek's Takashima sconce wins Honorable Mention for Sustainablility in *Lighting for Tomorrow* 2007 Competition.

Eleek won a 2006 BEST Award for Sustainable Practices by the City of Portland Office of Sustainable Development.

Eleek named one of "America's Most Promising Social

Sustainable Industries Journal selected Eleek Products for "Top Ten Green Building Products" 2006, 2007, 2008 and 2009.

Entrepreneurs" by Business Week Magazine in 2010

Eric Kaster was selected for inclusion in Portland, Oregon's Regional Arts & Culture Council Public Artist Registry.

Eric Kaster was selected for inclusion in the 4 *Culture* Public Artist Registry of Seattle in 2006.









Portland Spaces



Bloomberg Businessweek















··· { SEE OUR ONLINE PRESS } ···

"Anything worth doing is worth doing one step at a time."

-Sattie Clark, Co-founder, Eleek, Inc

OUR MISSION

Eleek is working to create a better world by combining visionary ideals with practical actions. We are committed to understanding and reducing Eleek's impact on the natural environment, and to creating a workplace that fosters community, creativity and personal growth. Toward that end, we will continually seek out cleaner and greener materials, processes, and paradigms. We will incorporate changes as quickly and thoroughly as we can feasibly do so, with the ultimate goal of a positive environmental and social impact. We will work with our employees, our customers, our vendors and our peers to raise the consciousness and standards of our industry and our community.







OUR ORGANIZATION

- Eleek, Inc. is a B CORPORATION, which is both a new kind of business model and an independent third-party certification of our sustainability claims.
- As a member of THE NATURAL STEP NETWORK
 Eleek is working to understand and improve its environmental footprint.
- Eleek's shop and office operate on 100% renewable power from Pacific Power.
- Eleek is a NW Natural Smart Energy Circle
 Member, purchasing offsets for 100% of the
 greenhouse gas emissions associated with our
 natural gas use.
- 80% of our supplies come from within 50 miles of our shop. Buying locally allows us to support the regional economy and reduces the environmental impact of transporting our supplies from far away.
- Eleek prints on environmentally preferable

- paper (high post-consumer content) using the most environmentally preferable printing methods. We use 100% recycled stock with at least 30% post-consumer content for all inhouse printing using our non-toxic, low waste Xerox solid ink laser printer. Eleek's catalog is now only available in a digital format in order to conserve resources.
- Eleek is located in an Urban Renewal/Enterprise
 Zone. This allows the company to contribute
 jobs and other community resources to an
 economically challenged area of Portland,
 while enjoying its diversity, vitality and old
 neighborhood feel.
- Eleek offers living wages and excellent health and dental insurance to all its employees.
- Eleek's delivery truck runs on a biodiesel blend, and we work to minimize the number of miles it is driven by carefully consolidating trips.

- Eleek has an incentive program to encourage employees to commute by bicycle or public transportation.
- Eleek strives to minimize garbage output and divert waste from the landfill. Our ambitious recycling program includes recycling all paper, metal, glass, wood and plastics. We even let our employees bring from home the recyclables that they can't recycle curbside or elsewhere.
- Our shipping department reuses shipping containers and packaging.
- Eleek utilizes a sustainable purchasing policy that favors products and services that have the highest-possible post-consumer recycled content, minimize or reduce greenhouse gas emissions, have the lowest toxicity (zero VOC whenever possible), reduce waste by way of being durable & reusable, and are made and sold within 50 miles of our shop.













OUR PRODUCTS

- Eleek products are durable and timelessly beautiful, designed for non-obsolescence from the start.
- with the highest possible post-consumer content (the only exception is our pewter which is guaranteed to be lead-free and therefore cannot contain post-consumer recycled content). Our cast aluminum is 100% recycled with a post-consumer content between 85 100%, depending on the product line. Pewter, bronze, cast iron, stainless steel and aluminum remnants are utilized in casting. We recycle all other scrap metal.
- Eleek offers state-of-the-art energy-saving lamps and electronics such as LEDs and compact fluorescents in all of the light fixtures that it designs and manufactures.

- Eleek uses local scrap material and encourages other companies to do the same. For instance, Eleek's Masa cabinet hardware line is made of 100% post-consumer scrap sourced from Portland's ReBuilding Center, a building materials reuse center located less than a mile from Eleek's shop. For more information about the benefits of manufacturing with local scrap, see our sister site PROJECTSCRAP.ORG.
- Eleek will take back any product it makes in order to dismantle, reuse and/or recycle its materials.

OUR PROCESSES

- Our silicone molds work for several thousand pours (more uses than are ever likely to be required) and when those pours are finished, the silicone is recycled as filler in new molds.
- Eleek's wood patterns are made from a

- combination of discarded lumber, salvaged wood and new wood, depending on availability (at least 70% discarded and/or salvaged).
- Metal products are finished using reusable abrasive media and re-circulated water.
 The resulting by-product, a ceramic slurry, is donated to artists or for use in construction.
- Shipping pallets are reused. We have an incentive program to ensure that shipping crates get returned to us for reuse.



ELEEK LEED® CREDITS



LEED® GREEN BUILDING RATING SYSTEM

The US Green Building Council's LEED® Green Building Rating System is a recognized voluntary checklist of performance measurements providing a standardized and third party verification of buildings' energy and environmental performance. When combined with an integrated effort to utilize environmentally preferable materials wherever possible throughout your project, Eleek products can help you attain the following LEED® credits:



While LEED® recognizes energy savings only in terms of the whole building, lighting is a significant part of the energy budget of any building. Eleek can help you save energy with low-energy lamping and high performance ballasts found in many of our luminaires. For those who care about sustainability beyond LEED® credits, please note that Eleek fixtures are made from recycled and recyclable materials. We also restore and retrofit existing lighting.

ALUMINUM PRODUCTS

MR 4: Recycled Content—up to 100% recycled depending on project.

MR 5.1: Local/Regional Materials: local manufacturing (Portland, Oregon), with 100% of raw materials sourced from within 50 miles.

BRONZE PRODUCTS

MR 4: Recycled Content—at least 90% recycled content.

MR 5.1: Local/Regional Materials: local manufacturing (Portland, Oregon), with 100% of raw materials sourced from within 50 miles.

CAST IRON PRODUCTS

MR 4: Recycled Content—up to 100% recycled depending on project.

MR 5.1: Local/Regional Materials: local manufacturing—our shop is located in the inner northside of Portland.

MR 5.2: Local/Regional Materials: local manufacturing (Portland, Oregon), with 100% of raw materials sourced from within 50 miles.

PEWTER PRODUCTS

MR 5.1: Local/Regional Materials: local manufacturing (Portland, Oregon). Note: Our pewter is cast and finished in-house using 100% renewable electricity from Pacific Power.

STAINLESS STEEL PRODUCTS

MR 4: Recycled Content—100% recycled content (at least 20% post-consumer).



MR 5.1: Local/Regional Materials: local manufacturing (Portland, Oregon)
MR 5.2: Local/Regional Materials: local manufacturing (Portland, Oregon), with 90% of raw materials sourced from within 50 miles.

STEEL PRODUCTS

MR 4: Recycled Content—100% recycled content (at least 20% post-consumer).

MR 5.1: Local/Regional Materials: local manufacturing (Portland, Oregon).

MR 5.2: Local/Regional Materials: local manufacturing (Portland, Oregon), with 80% of raw materials sourced from within 50 miles.

ELEEK'S CUSTOM CAPABILITIES





WHAT CAN WE DO?

What can't we do? That might be the easier question to answer! Eleek offers extensive experience and diverse techniques to make your project stand out. We make the process easy and enjoyable.

OUR EXPERIENCE

We design and manufacture decorative lighting, sinks, hardware, and architectural details. We also offer full services in restoration, retrofitting and replication. If you look at the following Case Studies, you will see that we can help establish the unique identity of your project by contributing multiple decorative elements. For instance, a bronze door handle that coordinates with an interior sconce which in turn echoes themes from a large exterior sconce. Whether you are looking for a single piece or a large production run, we have the capability and experience.

OUR MATERIALS AND TECHNIQUES

We have extensive experience working with aluminum, bronze, copper, cast iron, steel, stainless steel, pewter, wood, glass and plastics. We make patterns and molds in-house; cast, bend, fabricate and finish metals; blow, slump and cast glass; vacuum form, slump and drape form plastics. We specialize in environmentally sustainable materials and processes.

DESIGN & PRESENTATION

We can quickly design and produce highquality, professional, three-dimensional renderings for you or your client. We specialize in custom lighting, sculpture, cast metal sinks, hardware, tiles and other architectural details.

We can design independently or in collaboration. We can work from a sketch on a napkin or from a CAD file. We can take your designs and help engineer them for the manufacturing process. We are flexible.

MANUFACTURING EXPERIENCE

We have extensive expertise in the following areas:

- Design and construction of production patterns and molds
- In-house and foundry casting of metals
- Fabrication of sheet metals, extrusions and castings
- High-end woodworking
- Blown, slumped or cast glass
- Vacuum formed plastics
- Custom finishing (tumbling, patinas, powdercoating, etc.)
- Wiring and electronics to UL/ETL or CE specifications
- Energy-saving lamping technologies
- Environmentally sustainable materials and processes



Eleek artisans loading a sixteen foot chandelier for delivery to the Vancouver Hilton Hotel & Convention Center.



... CLICK HERE TO GO ONLINE











YOU MAY ALSO VIEW OUR IN-CATALOG CUSTOM CASE STUDIES ON THE FOLLOWING PAGES BY CLICKING THE RIGHT HAND CORNER OR THE ARROW BUTTONS ON THE MENU BAR.

BURLINGTON LOFTS CUSTOM CASE STUDY 1





LOCATION 900 NW Lovejoy Portland, OR 97209

ARCHITECT Ankrom Moisan Associated Architects,
Portland, OR

ENGINEER Kramer Gehlen and Associates, Vancouver, WA

LANDSCAPE ARCHITECT Steven E. Koch

This project was built on a site that was formerly part of the Burlington Rail Yards, inspiring the design team toward a railroad theme and the posh Art Deco styling of the Burlington's famous Zephyr streamliner fleet. Eleek was brought in early in the planning process and was asked to design a logo for the project as well as six large exterior light fixtures. As the design process progressed, Eleek was also commissioned to create a series of bronze sculptures to adorn the base of the building, handsome sconces to frame the main entrance, large bronze door handles for all exterior doors and a variety of interior hardware.

Eleek created five unique designs for this project in the end, including the following:

- Exterior Gatsby sconce (6)
- Exterior Zelda sconce (12)
- Bronze railroad sculpture (3)
- Bronze door handle (16)
- Bronze pocket door pulls (2)

GATSBY EXTERIOR SCONCE



H:34³/₈" W:27" D:33⁵/₈"

100% recycled cast aluminum with powdercoat finish, laser-cut aluminum detail, white polycarbonate lenses, steel inner structure, and high efficiency compact fluorescent lamps.

ART DECO EXTERIOR DOOR PULLS



H:23" W:23%" D:234"
Installed on all the Burlington's exterior doors, these extraordinary pulls offer visitors an impressive "handshake" with the building—art that you are allowed to touch.

ZELDA EXTERIOR SCONCE



H:26½" W:27" D:3"

A dozen of these luminaires are mounted at pedestrian level around the exterior of the Burlington, creating a welcoming human-scale that connects the building to its dense urban neighborhood.

TRAIN EXTERIOR SCULPTURES (THREE TOTAL)



H:I' W:8'
90% recycled cast bronze; located on south-facing wall of the building. The Train sculptures pay homage to the Burlington Railroad's beloved Pioneer Zephyr streamlined passenger fleet which went into service in 1934.



Sculpture installed in a niche at the foot of the building



LOCATION 333 NW 9th Ave Portland, OR 97209

ARCHITECT Ankrom Moisan Associated Architects,
Portland, OR

ENGINEER Kramer Gehlen and Associates, Vancouver, WA

LANDSCAPE ARCHITECT W&H Pacific

This award-winning project combines high-rise luxury condominiums and street-level retail. Eleek was brought in early in the planning and was asked to design an interior light fixture to fit with the Charles Rennie Macintosh-inspired feel of the building.

Working closely with the project's design team, Eleek was entrusted with an increasing amount of the custom decorative accent work for this building. In the end, Eleek created eleven unique designs for The Elizabeth, totaling 463 pieces.

"Going from early concept sketch idea, to mock-up, down to final delivery and installation, Eleek was there all along the way. Interaction with Eleek improved our early design ideas and helped make the project truly something special. Developing custom or unique pieces for any project certainly has become much more reachable since we discovered this unique resource!"

—GUNNAR LANGHUS

Associate, Ankrom Moisan Architects

THREE SPOONS INTERIOR SCONCE






H:33" W:6½"

90% recycled bronze, oil-rubbed; glass lens with seashell finish; three 20w bi-pin halogen lamps with reflectors behind.

SHIELD

EXTERIOR SCONCE



H:5' W:21"

100% recycled cast aluminum base; rolled aluminum face; laser-cut "rose" emblem is rolled to match curve of face; low-energy fluorescent lamping.



SPOON INTERIOR PENDANT





H:IIXI6" W:2IXI6"

90% recycled oil-rubbed cast bronze; glass lens with sea shell finish; 12v 20w bi-pin halogen lamp. Featured over the Elizabeth lobby's concierge desk.

RAIN SCUPPER



H:23 %" W:22 ½" D:6 %"

90% recycled cast bronze scupper. Shown installed above Elizabeth's main entrance, accentuated by Eleek cast bronze bricks.

MACKINTOSH SIGNAGE

INTERIOR SIGNAGE





VARIABLE DIMENSIONS

Cast in-house from lead-free pewter, Eleek created a complete interior signage system with custom cast number blocks riding on laser cut aluminum rails adorning every door at the Elizabeth.

DOOR HANDLE





H:38" W:43/4"

90% recycled cast bronze, oil-rubbed door handles.

VANCOUVER HILTON CUSTOM CASE STUDY 3





LOCATION 301 W 6th Street, Vancouver, WA, 98660

ARCHITECT Fletcher Farr Ayotte

ENGINEER Kramer Gehlen and Associates,

Vancouver, WA

LIGHTING DESIGNER Zachary Suchara, Glumac International (except Valhalla sconce by Eric Kaster, Eleek Inc.)

Hilton Hotels opened a \$71.2 million, 225 room hotel and 30,000 square foot conference center across from downtown Vancouver's Esther Short Park in 2005. Eleek was commissioned to engineer and build a total of 81 luminaires, some as large as 16 feet in diameter, for the new center. The Hilton Hotel and convention center was the first hotel in America to apply for LEED® certification. Eleek contributed to the environmental sustainability of the project by using recycled materials and low-energy lamping.

"The process of working with Eleek on the Vancouver Hilton Hotel was very positive. Eleek was able to take the conceptual sketches and technical requirements for the design of several unique light fixtures and aid the design team in turning these concepts into reality. Eleek's attention to detail, use of quality materials and understanding of manufacturing techniques captured the design intent, and allowed the fixtures to integrate well into the architectural expression of the hotel. The artisans at Eleek demonstrated their ability to create beautiful light fixtures within the budget constraints of the project, and their knowledge of the construction process allowed the fixtures to be built, delivered and installed ahead of schedule. I am very grateful to Eleek for making a complicated design and construction process simple and enjoyable."

-ZACHARY SUCHARA, LC

VALHALLA SCONCES



H:16" W:28" D:34"

A streamlined version of the Eleek Gatsby sconce made from 100% recycled cast aluminum and extruded aluminum, featuring energy-saving fluorescent lamping welcomes guests at the Hilton Hotel's main entrance.

E

LOBBY CHANDELIERS







Artist-tinted acrylic resin is softly drape-formed around fluorescent lamping to achieve the best of both worlds (soft warm light and energy savings) in these unusual chandeliers designed by Zachary Suchara, engineered and built by Eleek.

BALLROOM CHANDELIERS







H:5' W:8' D:8'

These giant ceiling fixtures were painstakingly fabricated in-house using 100% recycled aluminum, custom aluminum extrusions, hand-blown glass balls, artist-tinted acrylic and energy-saving compact fluorescent lamping (as well as incandescent and halogen lamping, all with separate controls).

TAKASHIMA RESIDENCE CUSTOM CASE STUDY 4





LOCATION Takashima Residence, Lake Oswego, OR
ARCHITECT Litmus Design and Architecture
INTERIOR DESIGN Intera Design /
Laura Hollister-Takashima

BUILDER Dave Rush Design and Build

In 2004, Eleek began designing custom luminaires for this exquisite modern Japanese Craftsman. Like the art-loving owners of this home, Eleek designer Eric Kaster is very inspired by Japanese and Craftsman design. It was a dream project for Eleek.

Eleek worked directly with the homeowner, a professional interior designer, to create three unique designs, one of which we named after the family. One of the designs was created around three beautiful art glass vases that the family already owned. All luminaires were made of recycled aluminum and were finished with Eleek Artist Patinas.

"Working with Eleek was such a creative experience, especially for someone who had a vision and could not find anything in the lighting market that worked with the house.

Eleek's design skills and quality of work are exquisite perfect for someone who wants something out of the ordinary."

—LAURA HOLLISTER-TAKASHIMA
Homeowner and Interior Designer

CHIMO CHANDELIER VARIATION



Inspired by and designed around three beautiful art glass vases, this chandelier features randomly spaced and sized "chimes" that ring pleasingly in the mind's eye. 100% Recycled aluminum with Eleek Artist Patina and custom patina'd glass lenses



DINING ROOM CHIMO CHANDELIER



This larger variation of the Chimo Chandelier has five glass lenses which are tinted a warm amber color. Recycled aluminum with Eleek Artist Patina and custom tinted glass lenses

GINGKO LEAF SCONCES



LEFT Complementing the large Chimo Chandelier in the dining room, these sconces help define a separate nook for the window seat. Recycled aluminum with Eleek Artist Patina and custom tinted glass lenses

BELOW This large modern Japanese sconce was inspired by the home and the family for whom it is named. Recycled aluminum with etched glass lens

TAKASHIMA PENDANTS





CUSTOM RETAIL DISPLAY FIXTURE COMPONENTS

Eleek, Inc. has extensive experience designing and manufacturing the various components of retail display fixtures including metal and plastic castings, vacuum-formed plastics, signage, cabinetry and woodwork, structural castings and lighting.

CUSTOM CASTINGS AND TOOLING

As a third generation patternmaker, Eric Kaster is uniquely knowledgeable and well connected in the world of castings. Eleek not only casts soft metals inhouse and builds all types of tooling, but also works directly with many different foundries and die casters in order to offer its customers the highest quality castings at the best prices. Our experience includes the replication of historic castings (usually architectural accents or pieces of light fixtures) as well as the design and creation of logos, ornaments, hardware, etc.

"Eleek has designed many unique and outstanding displays, lighting and decorative fixtures for several of our urban condominium projects, from showroom displays to permanent building signage and architectural design elements. They consistently offer creative ideas, first class design and excellent craftsmanship. From listening to our needs to concepting, design and implementation, the process exceeds our expectations and always has an end result of the highest quality product."

—JILL BUSTER,

Marketing Director, Carroll Investments LLC

GRACIE'S AT THE HOTEL DELUXE

INTERIOR SIGNAGE



H:16¹/₄" W:6' D:³/₄"

This gracefully sculpted bronze sign was created by Eleek as part of the renovation of Portland's historic Hotel Mallory (now the newly opened Hotel DeLuxe).




THE STRAND SHOWROOM

RETAIL DISPLAY FIXTURES







Eleek co-designed, engineered and fabricated several different styles of retail display fixtures for this condominium showroom in Southwest Portland. This includes an oversized backlit lightbox, a freestanding transparency case, a cantilevered transparency case, stainless steel signage and a unique magnet board (below) to show units still available and those sold.



E

THE WESTERLY SHOWROOM





Eleek co-designed, engineered and installed several different styles of custom retail display fixtures for this condominium showroom in northwest Portland, including an oversized backlit lightbox, fabricated metal frames, and a "floating" steel and glass sign.

WIEDEN + KENNEDY PAPERWEIGHT





H:3" W:2" W:1"

These distressed pewter paperweights were commissioned by Wieden + Kennedy in an edition of 300 pieces for use as holiday gifts. The inscription means "goodness" in Arabic. They were designed, cast and finished in our shop (see left).

ELEEK LIGHTING



Lighting is our passion and our specialty. We are uniquely experienced with an expansive array of materials and production techniques that enable us to offer the highest level of design, quality and service under one roof.

Eleek luminaires are designed and manufactured in-house by skilled artisans using the highest quality materials and components. We are able to competitively produce jobs ranging in size from small one-off fixtures to complex high-production runs (see **CUSTOM DESIGN** + MANUFACTURING for more information) and we guarantee the quality of everything we make.

Eleek is committed to environmental sustainability and can help your project achieve LEED® certification (see **SUSTAINABILITY** section for more information).

Eleek is a certified ETL house, which means that we test and sticker our own fixtures, assuring that our luminaires conform to UL and/or CE standards of safety.



CEILING + MOUNT TABLE + FLOOR **BOLLARD**

PIER + CUPOLA

CANOPY OPTIONS

ELEEK PENDANTS








Normandy



















































Trompeta

LINKS














Swing

PENDANT CHANDELIER

CEILING + MOUNT

TABLE + FLOOR

BOLLARD

PIER + CUPOLA





Bella Stella! A nouveau retro original.











PRODUCT NO.

L2005P

DIMENSIONS

- Pendant ø:6⁷/16" н:3"
- Canopy ø:5%"
- Specifiable drop length

MATERIALS

- 100% recycled cast aluminum on
- 90% recycled cast bronze
- Stainless steel flex conduit

FINISH OPTIONS

- Natural aluminum with smooth River Rock finish
- Optional Artist Patina or colored powdercoat (shown with chrome powdercoat)

LAMPING 🗆 🗇



- н-One 12v 2ow мах мr11 halogen
- ◆ L-5W LED



VOLTAGE

- 120 OR 277V (HALOGEN)
- 120V (LED)

FUNCTION

- Interior
- Commercial/residential
- Retail/hospitality
- Decorative lighting
- Kitchen lighting



DOWNLOADABLE SPEC SHEET

DRY LISTED. Approved for use in dry indoor locations only. ETL conforms to one or all of UL STD 1598, 2108 or 8750 CAN/CSA STD C22.2 NO.250.0


All designs by Eric Kaster and Eleek, Inc. unless otherwise noted. Images not to be used or reproduced without permission.

SCONCE + VANITY CEILING + MOUNT LINKS PENDANT **CHANDELIER** TABLE + FLOOR **BOLLARD** PIER + CUPOLA





A modern relic that speaks volumes (especially about WWII and the French occupation). Now available in two sizes.











PRODUCT NO.

L3028P L3028V2P

DIMENSIONS

- Small pendant H:4" W:31/4"
- Large pendant н:7" w:6¾"
- Canopy ø:5%"
- Specifiable drop length

MATERIALS

- 100% recycled cast aluminum on
- 90% recycled cast bronze
- Stainless steel flex conduit

FINISH OPTIONS

- * Natural aluminum with smooth River Rock finish (shown)
- Optional Artist Patinas or colored powdercoats available



- н-One 12v 35w max м R I 6 halogen
- HV2-One 50W PAR30 halogen
- ◆ L-5W LED
- LV2-I4W LED



VOLTAGE

- 120V OR 277V (HALOGEN)
- + 120V (LED)

FUNCTION

- Commercial/residential
- Retail/hospitality



DOWNLOADABLE SPEC SHEET

DRY LISTED. Approved for use in dry indoor locations only. ETL conforms to one or all of UL STD 1598, 2108 or 8750 CAN/CSA STD C22.2 NO.250.0

All designs by Eric Kaster and Eleek, Inc. unless otherwise noted. Images not to be used or reproduced without permission.

LINKS **PENDANT CHANDELIER SCONCE + VANITY CEILING + MOUNT** TABLE + FLOOR **BOLLARD** PIER + CUPOLA





POD PENDANT

A miniature lunar landing module, beaming down to the other-worldly terrain of your desk or kitchen counter through a clear glass drop lens with unique bubble variations.













PRODUCT NO.

L2004P

DIMENSIONS

- Pendant н:4½" ø:4%"
- Canopy ø:6"
- Specifiable drop length

MATERIALS

- 100% recycled cast aluminum on
- 90% recycled cast bronze
- Kokomo glass lens
- Stainless steel flex conduit

FINISH OPTIONS

- Natural aluminum with smooth River Rock finish (shown)
- Optional Artist Patinas or colored powdercoats available

LAMPING 🗹 💿 🗇





- + н-One 12v 35w max мк16 halogen on



ELEEK LAMPING GUIDE

VOLTAGE

- 120V OR 277V (HALOGEN)
- 120V (LED)

FUNCTION

- Interior
- Commercial/residential
- Retail/hospitality



DOWNLOADABLE SPEC SHEET

DRY LISTED. Approved for use in dry indoor locations only. ETL conforms to one or all of UL STD 1598, 2108 or 8750 CAN/CSA STD C22.2 NO.250.0

All designs by Eric Kaster and Eleek, Inc. unless otherwise noted. Images not to be used or reproduced without permission.


LINKS **PENDANT CHANDELIER SCONCE + VANITY CEILING + MOUNT** TABLE + FLOOR **BOLLARD** PIER + CUPOLA





Lusciously liquid. Ready to drop. Do drop. Dew wop. *Dollop*.













PRODUCT NO.

L3029P

DIMENSIONS

- Pendant н:6" ø:4¼"
- Canopy ø:5\%"
- Specifiable drop length

MATERIALS

- 100% recycled cast aluminum os
- 90% recycled cast bronze
- Etched glass lens

FINISH OPTIONS

- Natural aluminum with smooth River Rock finish
- Optional Artist Patinas or colored powdercoats available (shown here with red powdercoat)

LAMPING -

+ L−5W LED

VOLTAGE

• 120V

FUNCTION

- Interior
- Commercial/residential
- Retail/hospitality
- Decorative lighting
- Task lighting
- Accent lighting



DOWNLOADABLE SPEC SHEET

DRY LISTED. Approved for use in dry indoor locations only. ETL conforms to one or all of UL STD 1598, 2108 or 8750 CAN/CSA STD C22.2 NO.250.0

All designs by Eric Kaster and Eleek, Inc. unless otherwise noted. Images not to be used or reproduced without permission.

LINKS PENDANT CHANDELIER SCONCE + VANITY CEILING + MOUNT TABLE + FLOOR BOLLARD PIER + CUPOLA





Fluid folds of metal fall to a curved gridwork faceplate. Simply intricate.











PRODUCT NO.

L3008P

DIMENSIONS

- Pendant н:3¼" w:3"
- Canopy ø:5%"
- Specifiable drop length

MATERIALS

- 100% recycled cast aluminum on
- 90% recycled cast bronze
- Stainless steel flex conduit

FINISH OPTIONS

- Natural aluminum with smooth River Rock finish
- Optional Artist Patinas or colored powdercoats available (shown here with chrome powdercoat)





- + н-One 12v 2ow max мк16 halogen @
- ◆ L-5W LED



ELEEK LAMPING GUIDE

VOLTAGE

- 120V OR 277V (HALOGEN)
- 120V (LED)

FUNCTION

- Interior
- Commercial/residential
- Retail/hospitality
- Decorative lighting
- Accent lighting
- Kitchen lighting
- Over table, bar or island



DOWNLOADABLE SPEC SHEET

DRY LISTED. Approved for use in dry indoor locations only. ETL conforms to one or all of UL STD 1598, 2108 or 8750 CAN/CSA STD C22.2 NO.250.0

All designs by Eric Kaster and Eleek, Inc. unless otherwise noted. Images not to be used or reproduced without permission.





Three spoon castings come together to form this whimsical ode to the oval.













PRODUCT NO.

L30I2P

DIMENSIONS

- Pendant н:111/16" w:21/16"
- Canopy ø:5%"
- Specifiable drop length

MATERIALS

- 100% recycled cast aluminum @
- 90% recycled cast bronze
- Art glass
- Brass or stainless steel tube

FINISH OPTIONS

- Natural aluminum with smooth River Rock finish (shown right)
- Oil-rubbed bronze
- Optional Artist Patinas or colored powdercoats available





- ◆ L-IW LED



- 120V OR 277V (HALOGEN)
- + 120V (LED)

FUNCTION

- Interior
- Commercial/residential
- Retail/hospitality
- Decorative lighting



DOWNLOADABLE SPEC SHEET

DRY LISTED. Approved for use in dry indoor locations only. ETL conforms to one or all of UL STD 1598, 2108 or 8750 CAN/CSA STD C22.2 NO.250.0


All designs by Eric Kaster and Eleek, Inc. unless otherwise noted. Images not to be used or reproduced without permission.

LINKS **PENDANT CHANDELIER SCONCE + VANITY CEILING + MOUNT BOLLARD** PIER + CUPOLA TABLE + FLOOR



UFO PENDANT

Little green men sold separately.











PRODUCT NO.

L2006P

DIMENSIONS

- Pendant H:3½" Ø:5"
- Canopy ø:5%"
- Specifiable drop length

MATERIALS

- + 100% recycled cast aluminum on
- 90% recycled cast bronze
- Stainless steel flex conduit

FINISH OPTIONS

- Natural aluminum with smooth River Rock finish
- Optional Artist Patinas or colored powdercoats available (chrome powdercoat shown)

LAMPING = 0 -





- н–One 12v 35w max м R 16 halogen 🚱
- ◆ L-5W LED



ELEEK LAMPING GUIDE

VOLTAGE

- 120V OR 277V (HALOGEN)
- 120V (LED)

FUNCTION

- Interior
- Commercial/residential
- Retail/hospitality
- Decorative lighting
- Task lighting
- Accent lighting



DOWNLOADABLE SPEC SHEET

DRY LISTED. Approved for use in dry indoor locations only. ETL conforms to one or all of UL STD 1598, 2108 or 8750 CAN/CSA STD C22.2 NO.250.0

All designs by Eric Kaster and Eleek, Inc. unless otherwise noted. Images not to be used or reproduced without permission.

SCONCE + VANITY CEILING + MOUNT LINKS PENDANT **CHANDELIER** TABLE + FLOOR **BOLLARD** PIER + CUPOLA





So sharp and cool, we named it after an ice axe. Stunning stainless steel with etched acrylic glaciers protruding.









PRODUCT NO.

L4096P

DIMENSIONS

- н:18" w:7" D:7"
- Specifiable drop length

MATERIALS

- Recycled stainless steel
- Etched acrylic

FINISH OPTIONS

- Brushed stainless steel
- Optional Artist Patinas or colored powdercoats available

LAMPING

- F-One 42W MAX fluorescent, quad, 4-PIN, G24Q-4 base ©
- I-One 60w incandescent, medium base (may substitute medium base CFL for lower energy usage)



VOLTAGE

- → 120 OR 277V (FLUORESCENT) ©
- 120V (INCANDESCENT)

FUNCTION

- Interior
- Commercial/residential

Designed by Ankrom Moison Associated Architects and Eric Kaster.



DOWNLOADABLE SPEC SHEET


DRY LISTED. Approved for use in dry indoor locations only. ETL conforms to one or all of UL STD 1598, CAN/CSA STD C22.2

All designs by Eric Kaster and Eleek, Inc. unless otherwise noted. Images not to be used or reproduced without permission.





Hand-blown into a custom mold using two colors of glass (amber on the outside and white on the inside) this eggcup comes in two sizes (large and larger). Any lamp will glow warmly in this incubator.













PRODUCT NO.

L5132P

DIMENSIONS

- н:11" ø:7" ов
- v2-н:14½" ø:9"
- Specifiable drop length

MATERIALS

- 100% recycled cast aluminum
- Hand blown art glass

FINISH OPTIONS

- Natural aluminum with smooth River Rock finish
- Optional Artist Patinas or colored powdercoats available (shown here with Antique Black Artist Patina)

- F-One 18W GU24 CFL OR
- FV2-One 26W GU24 CFL @
- FV3−One 4-PIN CFL (SPECIAL ORDER)
 O
- I & IV2-One 40w incandescent, medium base (may substitute medium base CFL for lower energy usage)



VOLTAGE

- 120 OR 277V WITH 4-PIN (FLUORESCENT)
- 120V (INCANDESCENT)

FUNCTION

- Interior
- Commercial/residential
- Retail/hospitality




DRY LISTED. Approved for use in dry indoor locations only. ETL conforms to one or all of UL STD 1598, CAN/CSA STD C22.2 NO.250.0

All designs by Eric Kaster and Eleek, Inc. unless otherwise noted. Images not to be used or reproduced without permission.



















PRODUCT NO.

L3020P

DIMENSIONS

- + н:10" ø:8" ов
- + H:16" Ø:20"
- Specifiable stem length

MATERIALS

- Laser cut recycled steel
- Mica shade in amber @ gray
- Recycled steel square bar stem
- 100% recycled cast aluminum canopy, shade rings

FINISH OPTIONS

- Brushed stainless steel 💿
- Copper rock finish
- Optional bottom mica diffuser (see far left)

LAMPING 🕮 💿 🔍

- F-One 26W GU24 CFL OR
- I-One 60w incandescent, medium base
- (may substitute medium base CFL for lower energy usage)
- Fv2 and Iv2 use three lamps



VOLTAGE

- + 120V OR
- 277v with special order 4-pin fluorescent.

FUNCTION

- Interior
- Commercial/residential



DRY LISTED. Approved for use in dry indoor locations only. ETL conforms to one or all of UL STD 1598, CAN/CSA STD C22.2 NO.250.0

All designs by Eric Kaster and Eleek, Inc. unless otherwise noted. Images not to be used or reproduced without permission.



FRANCIS PENDANT

A pleasing combination of textures and shapes. Sleek modern meets utilitarian industrial. Meet Francis.









PRODUCT NO.

L3016P

DIMENSIONS

- Pendant H:32" Ø:7"
- Specifiable cable length

MATERIALS

- Perforated recycled stainless steel
- Etched acrylic diffuser

FINISH OPTIONS

- Brushed stainless steel
- Optional Artist Patinas or colored powdercoats available

LAMPING (IIII) OR (IIII)





- + F−One 26W GU24 CFL
- I-One 40w incandescent, medium base (may substitute medium base CFL for lower energy usage)



VOLTAGE

+ 120V

FUNCTION

- Interior
- Commercial/residential
- Retail/hospitality
- Decorative lighting




DOWNLOADABLE SPEC SHEET

DRY LISTED. Approved for use in dry indoor locations only. ETL conforms to one or all of UL STD 1598, CAN/CSA STD C22.2

All designs by Eric Kaster and Eleek, Inc. unless otherwise noted. Images not to be used or reproduced without permission.



Old world charm and exquisite detail blend in the warm glow of Illuminata. The glass is hand blown in a mold especially created for this luminaire. White or amber glass. Also available as a sconce.











PRODUCT NO.

LIOO3P

DIMENSIONS

- Pendant H:185/16" Ø:53/8"
- Specifiable cable length

MATERIALS

- 100% recycled cast aluminum @
- 90% recycled cast bronze
- + Hand blown glass shade in opal white @ amber (shown)

FINISH OPTIONS

- Natural aluminum with smooth River Rock finish
- Oil rubbed bronze
- Optional Artist Patinas or colored powdercoats available (shown here with Masala Red Artist Patina over bronze)

LAMPING O O O O

- + F-One 27W fluorescent, GU24 CFL OR
- + I-One 60w incandescent, medium base (may substitute medium base CFL for lower energy usage)
- ◆ L-7W LED with opal white globe



VOLTAGE

• 120V

FUNCTION

- Interior
- Commercial/residential



SEE ALSO

DOWNLOADABLE SPEC SHEET

DAMP LISTED. Approved for use in covered outdoor locations. ETL conforms to one or all of UL STD 1598, 2108 or 8750 CAN/CSA STD C22.2 NO.250.0

All designs by Eric Kaster and Eleek, Inc. unless otherwise noted. Images not to be used or reproduced without permission.

LINKS **PENDANT CHANDELIER SCONCE + VANITY CEILING + MOUNT BOLLARD** PIER + CUPOLA TABLE + FLOOR

GLOGO PENDANT

Speak your mind! Your words and/or images are illuminated on this etched glass lens with a blown bead rim. Or keep it simple (mum's the word).









PRODUCT NO.

L5107P

DIMENSIONS

- Pendant H:12" Ø:3½"
- Canopy D:3/4" Ø:5"
- Specifiable cable length

MATERIALS

- 100% recycled cast aluminum @
- 90% recycled cast bronze
- Etched borosilicate glass diffuser

FINISH OPTIONS

- Natural aluminum with smooth River Rock finish (shown)
- Oil rubbed bronze
- Optional Artist Patinas or colored powdercoats available
- Shade customizable with your images and/ or one of our glass lustres (optional, at additional cost)









- F-One 26w fluorescent, quad, 4-pin, G24Q-3 base (SPECIAL ORDER with a rigid stem) @
- I-One 40w incandescent, medium base, long tube (may substitute medium base CFL for lower energy usage)



VOLTAGE

- 120 or 277V with 4-pin (fluorescent)
- 120V (INCANDESCENT)



DOWNLOADABLE SPEC SHEET


DRY LISTED. Approved for use in dry indoor locations only. ETL conforms to one or all of UL STD 1598, CAN/CSA STD C22.2

All designs by Eric Kaster and Eleek, Inc. unless otherwise noted. Images not to be used or reproduced without permission.



TUBE PENDANT

Long and lean, modern and industrial, the Tube turns a standard fluorescent tube into a work of art.







PRODUCT NO.

L4038P

DIMENSIONS

н:65["] ø:4["]

MATERIALS

- 100% recycled cast aluminum
- Aluminum tubing
- Opal acrylic diffuser

FINISH OPTIONS

- Natural aluminum with smooth River Rock finish (shown)
- Optional Artist Patinas or colored powdercoats available

LAMPING _____

• F-One 48" 54w т5 но fluorescent, mini-pin base.

VOLTAGE

- + 120V
- ◆ 277V

FUNCTION

- Interior
- Commercial/residential
- Retail/hospitality
- Decorative lighting
- General room lighting for high ceilings

Designed by Zach Suchara and Eric Kaster.



DOWNLOADABLE SPEC SHEET

DRY LISTED. Approved for use in dry indoor locations only. ETL conforms to one or all of UL STD 1598, CAN/CSA STD C22.2 NO.250.0

All designs by Eric Kaster and Eleek, Inc. unless otherwise noted. Images not to be used or reproduced without permission.









PENDAR VANITY

Industrial elegance, and energy efficiency to boot. Astounding! Perplexing! Ponder Pendar.



PRODUCT NO.

L5102P

DIMENSIONS

H:27" Ø:2½"

MATERIALS

- 100% recycled cast aluminum @
- Stainless steel
- Etched glass diffuser

FINISH OPTIONS

- Natural aluminum with smooth River Rock finish (shown)
- Brushed stainless steel
- Optional Artist Patinas or colored powdercoats available

LAMPING 📒

• F-One 36w fluorescent, twin tube, 2GII base

VOLTAGE

- + 120V
- + 277V

FUNCTION

- Interior
- Commercial/residential
- Retail/hospitality
- Vanity
- General room lighting

Designed by Ella Mills & Eric Kaster.



DOWNLOADABLE SPEC SHEET

DRY LISTED. Approved for use in dry indoor locations only. ETL conforms to one or all of UL STD 1598, CAN/CSA STD C22.2

All designs by Eric Kaster and Eleek, Inc. unless otherwise noted. Images not to be used or reproduced without permission.

LINKS PENDANT **CHANDELIER SCONCE + VANITY CEILING + MOUNT BOLLARD** PIER + CUPOLA TABLE + FLOOR







PRODUCT NO.

L5148P

DIMENSIONS

- Pendant H:8" Ø:24"
- Specifiable drop length

MATERIALS

- Extruded aluminum
- Flame retardant organic linen cloth shade (fabric specifiable)
- Acrylic diffuser

FINISH OPTIONS

Colored powdercoats available

- F-Two 26w Gu24 CFL
- ◆ F-Three 13W 4-PIN CFL (SPECIAL ORDER)



VOLTAGE

- + 120V OR
- + 277V (4-PIN FLUORESCENT)

FUNCTION

- Interior
- Commercial/residential
- Retail/hospitality



DOWNLOADABLE SPEC SHEET

DRY LISTED. Approved for use in dry indoor locations only. ETL conforms to one or all of UL STD 1598, CAN/CSA STD C22.2 NO.250.0

All designs by Eric Kaster and Eleek, Inc. unless otherwise noted. Images not to be used or reproduced without permission.



wedding cake cloud, this soft wheel of light is both luscious and energy efficient. Your fabric or ours? Ours is organic cotton and hemp—sumptuous and sustainable.









CUBE PENDANT

A big glowing white cube. What could be more simple and soothing while maintaining a sort of surreal drama?





PRODUCT NO.

L4047P

DIMENSIONS

- + H:24" W:24" D:24"
- Specifiable cable length

MATERIALS

- Steel hardware
- Opal acrylic diffuser

FINISH OPTIONS

- Natural smooth River Rock finish
- Optional Artist Patinas or colored powdercoats available

LAMPING I

- AS SPECIFIED



VOLTAGE

• 120V

FUNCTION

- Interior
- Commercial/residential
- Retail/hospitality
- General room lighting
- Decorative lighting
- Entryway
- Chandelier



DOWNLOADABLE SPEC SHEET

DRY LISTED. Approved for use in dry indoor locations only. ETL conforms to one or all of UL STD 1598, CAN/CSA STD C22.2 NO.250.0

All designs by Eric Kaster and Eleek, Inc. unless otherwise noted. Images not to be used or reproduced without permission.





TAKASHIMA PENDANT

Named after the fabulous Portland family for whom we designed this elegant nouveau-classical Japanese work of art, the Takashima offers high style indoors or out. Also available as a sconce.











PRODUCT NO.

L4095P

DIMENSIONS

- + H:10½" W:11" D:11"
- Specifiable drop length

MATERIALS

- Laser cut aluminum
- Etched glass of opal white acrylic diffuser

FINISH OPTIONS

- Natural aluminum with smooth River Rock finish (shown)
- Optional Artist Patinas or colored powdercoats available
- Optional glass lustres

LAMPING

- I-One 60w incandescent, medium base (may substitute medium base CFL for lower energy usage)



VOLTAGE

- + 120V OR
- ◆ 277V (FLUORESCENT SPECIAL ORDER)

FUNCTION

- Interior
- Commercial/residential
- Retail/hospitality



DAMP LISTED. Approved for use in covered outdoor locations. ETL conforms to one or all of UL STD 1598, CAN/CSA STD C22.2 NO.250.0

All designs by Eric Kaster and Eleek, Inc. unless otherwise noted. Images not to be used or reproduced without permission.









TROMPETA PENDANT

Available in three sizes (or as a chandelier), the Trompeta doubles nicely as a dinner bell or a bicycle horn. Recycled aluminum or bronze.





PRODUCT NO.

- + L3013P (SMALL)
- + L3013V2P (MEDIUM)
- + L3013V3P (LARGE)

DIMENSIONS

- + H:5½" Ø:4" OR
- V2- H:7½" Ø:5½" @
- V3− H:9½" Ø:7"
- Specifiable cable length

MATERIALS

- 100% recycled cast aluminum @
- 90% recycled cast bronze
- Stainless steel conduit

FINISH OPTIONS

- Natural aluminum with soft River Rock finish (shown)
- Oil rubbed bronze
- Optional patinas or colored powdercoats available

LAMPING I O I I







- н–One max 20w мк16 halogen
- нV2-One max 35w мк16 halogen
- + нV3—One max 50w GU10 halogen (120v only) @
- L-5W LED



ELEEK LAMPING GUIDE

VOLTAGE

- 120V OR 277V (HALOGEN)
- 120V (LED)



DOWNLOADABLE SPEC SHEET

DRY LISTED. Approved for use in dry indoor locations only. ETL conforms to one or all of UL STD 1598, 2108 or 8750 CAN/CSA STD C22.2 NO.250.0

All designs by Eric Kaster and Eleek, Inc. unless otherwise noted. Images not to be used or reproduced without permission.



NOUVEAU PENDANT

This opulent handblown glass pendant appears to float in the intricate organic-mechanical setting, like a fine piece of jewelry. Optional LED lamping uses less than one-tenth the energy of a comparable incandescent.











PRODUCT NO.

17366Р

DIMENSIONS

- + H: 14" Ø: 10½"
- Specifiable drop length

MATERIALS

- 100% recycled aluminum @
- 100% recycled stainless steel
- Handblown glass

FINISH OPTIONS

- Natural aluminum with smooth River Rock finish
- Polished stainless steel (shown)
- Optional Artist Patinas or colored powdercoats available





- → I-One 40w max incandescent, candelabra base 💿
- ◆ L-4W LED



ELEEK LAMPING GUIDE

VOLTAGE

+ 120V

FUNCTION

- Interior
- Commercial/residential
- Retail/hospitality



DOWNLOADABLE SPEC SHEET

DRY LISTED. Approved for use in dry indoor locations only. ETL conforms to one or all of UL STD 1598, 2108 or 8750 CAN/CSA STD C22.2 NO.250.0

All designs by Eric Kaster and Eleek, Inc. unless otherwise noted. Images not to be used or reproduced without permission.





SIGNALITE

Merging Eleek's custom signage capabilities with award-winning luminaire design, Signalite offers functional retro styling with customizable logo design.









PRODUCT NO.

L7361P

DIMENSIONS

- + H: 14" W: 16" D: 2"
- Specifiable drop length

MATERIALS

- 100% recycled cast aluminum, and
 - Fabricated aluminum 💿
- 90% recycled cast bronze and fabricated bronze
- Acrylic diffuser

FINISH OPTIONS

- Natural aluminum with smooth River Rock finish
- Optional Artist Patinas or colored powdercoats available (Roman Bronze powdercoat shown)

LAMPING -

VOLTAGE

+ 120V

FUNCTION

- Interior/exterior
- Commercial or residential street number and door lighting
- Retail/hospitality



DOWNLOADABLE SPEC SHEET

DAMP LISTED. Approved for use in covered outdoor locations. ETL conforms to one or all of UL STD 1598, CAN/CSA STD C22.2 NO.250.0

All designs by Eric Kaster and Eleek, Inc. unless otherwise noted. Images not to be used or reproduced without permission.



INDUSTRIO PENDANT

Retro-industrial chic styling in an oh-so useful bright spot pendant that features energy-saving lamping.











PRODUCT NO.

L7365P

DIMENSIONS

- H: 15" Ø: 17"
- Specifiable drop length

MATERIALS

- 100% recycled cast aluminum
- Spun aluminum
- Lasercut aluminum

FINISH OPTIONS

- Natural aluminum with smooth River Rock finish
- Spun finish (shown)
- Optional Artist Patinas or colored powdercoats available

- F-Three 27W max fluorescent, GU24 base @
- F-Three 26w max fluorescent, triple tube, 4-pin, G24Q-3 base
- L-18W LED



VOLTAGE

- 120V (GU24)
- 277V (G24Q-3)

FUNCTION

- Interior
- Commercial/residential
- Retail/hospitality



DRY LISTED. Approved for use in dry indoor locations only. ETL conforms to one or all of UL STD 1598, CAN/CSA STD C22.2 NO.250.0

All designs by Eric Kaster and Eleek, Inc. unless otherwise noted. Images not to be used or reproduced without permission.



SPEAR PENDANT

This sharp pendant makes a piercing statement using only three watts of warm LED lamping. The body is the heat sink, uniting form and function. Also available as a multi-pendant chandelier.







PRODUCT NO.

L9387P

DIMENSIONS

н:4½" ø:2" Specifiable drop length

MATERIALS

- 100% recycled cast aluminum @
- 90% recycled cast bronze on
- Stainless Steel
- Hand blown etched borosilicate glass diffuser

+

FINISH OPTIONS

- Natural Aluminum in smooth River Rock finish
 Optional Artist Patinas or colored
 powdercoats available
- Oil-Rubbed Bronze (shown)

LAMPING -

• L-3W LED

VOLTAGE

• 120V

FUNCTION

- Interior
- Commercial/Residential
- Retail/hospitality



DOWNLOADABLE SPEC SHEET

DAMP LISTED. Approved for use in covered outdoor locations. ETL conforms to one or all of UL STD 1598, 2108 or 8750 CAN/CSA STD C22.2 NO.250.0

All designs by Eric Kaster and Eleek, Inc. unless otherwise noted. Images not to be used or reproduced without permission.









PRODUCT NO.

L9386P

DIMENSIONS

н:8" ø:5½" Specifiable drop length

MATERIALS

- 100% recycled cast aluminum @
- 90% recycled cast bronze
- Hand blown etched borosilicate glass diffuser

FINISH OPTIONS

- Natural Aluminum in smooth River Rock finish (shown) 💿
- Optional Artist Patinas or colored powdercoats available
- Optional glass lustres available

LAMPING I I I



- + L−5W LED **©**
- ◆ L-I4W LED



VOLTAGE

- + 120V OR
- ◆ 277V (FLUORESCENT SPECIAL ORDER)

FUNCTION

- Interior
- Commercial/Residential
- Retail/hospitality



DOWNLOADABLE SPEC SHEET

DRY LISTED. Approved for use in dry indoor locations only. ETL conforms to one or all of UL STD 1598, 2108 or 8750 CAN/CSA STD C22.2 NO.250.0

All designs by Eric Kaster and Eleek, Inc. unless otherwise noted. Images not to be used or reproduced without permission.

LINKS **PENDANT CHANDELIER SCONCE + VANITY CEILING + MOUNT BOLLARD** PIER + CUPOLA TABLE + FLOOR





Just about to drip, this playful pendant may inspire you to place buckets on the floor. LED lamping is ultra-efficient. Also available as a multi-pendant chandelier.











PRODUCT NO.

L8370P

DIMENSIONS

н:8¾" ø:2½" Specifiable drop length

MATERIALS

- 100% recycled cast aluminum @
- 90% recycled cast bronze
- Hand blown etched borosilicate glass diffuser

FINISH OPTIONS

- Natural Aluminum in smooth *River Rock* finish (shown)
- Optional Artist Patinas or colored powdercoats available

LAMPING -

◆ L-3W LED

VOLTAGE

• 120V

FUNCTION

- Interior
- Commercial/Residential
- Retail/hospitality



DOWNLOADABLE SPEC SHEET

DRY LISTED. Approved for use in dry indoor locations only. ETL conforms to one or all of UL STD 1598, 2108 or 8750 CAN/CSA STD C22.2 NO.250.0

All designs by Eric Kaster and Eleek, Inc. unless otherwise noted. Images not to be used or reproduced without permission.



LANTERN PENDANT

Lantern combines retro-mechanical functionality (the bottom plate swings open to access the lamp) with exceptional modern details. If one, by boat. If two, by sea.







PRODUCT NO.

L8372P

DIMENSIONS

H:5½" Ø:3½" Specifiable drop length

MATERIALS

- 100% recycled cast aluminum @
- 90% recycled cast bronze 💿
- Stainless Steel
- Etched borosilicate glass diffuser

FINISH OPTIONS

- Natural Aluminum in smooth River Rock finish (shown)
- Optional Artist Patinas or colored powdercoats available

LAMPING © -





- I–One 40w мах candelabra base incandescent 🔞
- ◆ L-5W LED



VOLTAGE

+ 120V

FUNCTION

- Interior
- Commercial/Residential
- Retail/hospitality



DOWNLOADABLE SPEC SHEET

DRY LISTED. Approved for use in dry indoor locations only. ETL conforms to one or all of UL STD 1598, 2108 or 8750 CAN/CSA STD C22.2 NO.250.0

All designs by Eric Kaster and Eleek, Inc. unless otherwise noted. Images not to be used or reproduced without permission.





This simple cylinder pendant is made from extruded aluminum tube and then hand spun to add the brushed finish with two signature rings.

Serious, modern and masculine.







PRODUCT NO.

L9398P

DIMENSIONS

н:6%" ø:3" Specifiable drop length

MATERIALS

- Recycled aluminum
- + Hand blown etched borosilicate glass diffuser

FINISH OPTIONS

- Natural aluminum in smooth River Rock finish
- Brushed aluminum (shown)
- Optional Artist Patinas or colored powdercoats available
- Optional glass lustres

LAMPING = 0 -

- н−One 50w max мп16 gu10 base halogen ⊙
- ◆ L-I4W LED



VOLTAGE

+ 120V

FUNCTION

- Interior
- Commercial/Residential
- Retail/hospitality



DOWNLOADABLE SPEC SHEET

DRY LISTED. Approved for use in dry indoor locations only. ETL conforms to one or all of UL STD 1598, 2108 or 8750 CAN/CSA STD C22.2 NO.250.0

All designs by Eric Kaster and Eleek, Inc. unless otherwise noted. Images not to be used or reproduced without permission.





DULCE PENDANT

Sweets for the sweet. This unique LED pendant is delectable. The finned cast heat sink, available in recycled aluminum or bronze, is the body. The etched glass lens is handblown for a perfect fit. Delicioso! Exquisito!







PRODUCT NO.

L8378P

DIMENSIONS

н:61/8" ø:3" Specifiable drop length

MATERIALS

- 100% recycled cast aluminum @
- 90% recycled cast bronze
- Hand blown etched borosilicate glass diffuser

FINISH OPTIONS

- Natural Aluminum in smooth *River Rock* finish
- Cast bronze (shown)
- Optional Artist Patinas or colored powdercoats available
- Optional glass lustres

LAMPING -

◆ L-3W LED

VOLTAGE

• 120V

FUNCTION

- Interior
- Commercial/Residential
- Retail/hospitality



DOWNLOADABLE SPEC SHEET

DRY LISTED. Approved for use in dry indoor locations only. ETL conforms to one or all of UL STD 1598, 2108 or 8750 CAN/CSA STD C22.2 NO.250.0

All designs by Eric Kaster and Eleek, Inc. unless otherwise noted. Images not to be used or reproduced without permission.





ARTIGLIO PENDANT

A three-armed mechanical claw grasps an Eleek-original heat sink body (cast in 100% recycled aluminum), housing a warm, bright LED lamp. To gaze upon this fine work of functional art, one might think "I have been chosen!"







PRODUCT NO.

L10399P

DIMENSIONS

W:3¾" H:101%" Specifiable drop length

MATERIALS

- 100% recycled cast aluminum
- Laser cut stainless steel
- Etched borosilicate glass diffuser

FINISH OPTIONS

- Hand-finished (shown)
- Smooth River Rock finish
- Optional Artist Patinas or colored powdercoats available

LAMPING -

◆ L-7w LED

VOLTAGE

• I20V OR 277V

FUNCTION

- Interior
- Commercial/Residential
- Retail/hospitality



DOWNLOADABLE SPEC SHEET

DRY LISTED. Approved for use in dry indoor locations only. ETL conforms to one or all of UL STD 1598, 2108 or 8750 CAN/CSA STD C22.2 NO.250.0

All designs by Eric Kaster and Eleek, Inc. unless otherwise noted. Images not to be used or reproduced without permission.





CORNETA PENDANT

Like its bell-shaped cousins, the Trompetas, this pendant is a star player in the Eleek brass band. Choose from three energy efficient lamping options (including a super bright LED).







PRODUCT NO.

L9397P

DIMENSIONS

ø:6" н:9¾" Specifiable drop length

MATERIALS

- 100% recycled cast aluminum
- Etched borosilicate glass diffuser

FINISH OPTIONS

- Natural Aluminum in smooth *River Rock* finish
- Optional Artist Patinas or colored powdercoats available (antique silver shown)

LAMPING 🖾 💿 🗇





- н-One 50w max gu10 мR16 halogen
- ◆ L-7w LED
- ◆ L-I4W LED



S ELEEK LAMPING GUIDE

VOLTAGE

- + 120V (HALOGEN OR LED) ©
- 277V (LED ONLY)

FUNCTION

- Interior
- Commercial/Residential
- Retail/hospitality



DOWNLOADABLE SPEC SHEET

DRY LISTED. Approved for use in dry indoor locations only. ETL conforms to one or all of UL STD 1598, 2108 or 8750 CAN/CSA STD C22.2 NO.250.0

All designs by Eric Kaster and Eleek, Inc. unless otherwise noted. Images not to be used or reproduced without permission.



SWING PENDANT

Sleek and modern yet undeniably playful, Swing combines recycled aluminum, etched glass and warm, bright energy-saving LED lamping in a future-classic saucer-swing design. Perfect over a table or anywhere.







PRODUCT NO.

L8373P

DIMENSIONS

ø:8¾" н:6" Specifiable drop length

MATERIALS

- 100% recycled cast aluminum
- Etched glass diffuser

FINISH OPTIONS

- Natural Aluminum in smooth *River Rock* finish
- Optional Artist Patinas or colored powdercoats available (chrome powdercoat shown)

LAMPING -



◆ L-I4W LED

VOLTAGE

+ 120V

FUNCTION

- Interior
- Commercial/Residential
- Retail/hospitality



DOWNLOADABLE SPEC SHEET

DRY LISTED. Approved for use in dry indoor locations only. ETL conforms to one or all of UL STD 1598, 2108 or 8750 CAN/CSA STD C22.2 NO.250.0


All designs by Eric Kaster and Eleek, Inc. unless otherwise noted. Images not to be used or reproduced without permission.

ELEEK CHANDELIERS
















Ethos



PENDANTS WITH CHANDELIER OPTION

Most Eleek pendants can be made into custom chandeliers. Please look for the symbol at left on the pendant pages to see if this option is available.





TRIPTYCH CHANDELIER

A trinity of etched glass pipes with blown bead details fitted to an industrial-mechanical frame. Good things come in threes.





PRODUCT NO.

L4082P

DIMENSIONS

- + H:19" W:14" D:3"
- Specifiable cable length

MATERIALS

- 100% recycled cast aluminum
- Laser cut aluminum
- Etched borosilicate glass diffusers

FINISH OPTIONS

- Natural aluminum with smooth River Rock finish
- Optional Artist Patinas or colored powdercoats available
- Optional glass lustres available

LAMPING I

• 1–Three 50w incandescent, minican base



VOLTAGE

• 120V

FUNCTION

- Interior
- Commercial/residential
- Retail/hospitality
- Decorative lighting
- General room lighting
- Kitchen
- Over table, bar or island
- Entryway



DRY LISTED. Approved for use in dry indoor locations only. ETL conforms to one or all of UL STD 1598, CAN/CSA STD C22.2 NO.250.0

All designs by Eric Kaster and Eleek, Inc. unless otherwise noted. Images not to be used or reproduced without permission.



CHIMO CHANDELIER

Related to our *Teahouse* and *Kabuki* fixtures, this pendant features randomly spaced and sized glass "chimes."







PRODUCT NO.

L5194P

DIMENSIONS

- + H:22" W:II" D:II"
- Specifiable cable length

MATERIALS

- 100% recycled cast aluminum
- Aircraft cable
- Etched borosilicate glass tube diffusers
- Number of lenses specifiable (three to five)
- See TAKASHIMA PROJECT for special artist glass lenses

FINISH OPTIONS

- Natural aluminum with smooth River Rock finish
- Optional Artist Patinas or colored powdercoats available
- Optional glass lustres available

LAMPING 🖂

• 1-Three 20w incandescent, bayonet base



VOLTAGE

• 120V

FUNCTION

- Interior
- Commercial/residential
- Retail/hospitality
- Stairwell

Designed by Sattie Clark & Eric Kaster



DOWNLOADABLE SPEC SHEET

DRY LISTED. Approved for use in dry indoor locations only. ETL conforms to one or all of UL STD 1598, CAN/CSA STD C22.2 NO.250.0

All designs by Eric Kaster and Eleek, Inc. unless otherwise noted. Images not to be used or reproduced without permission.





TEAHOUSE CHANDELIER

Five teahouse pendants are arranged below a single canopy like wind chimes. The crosshatch pattern is wabi sabi organic in feel. Perfect for any space with a Japanese influence.







PRODUCT NO.

L4092P

DIMENSIONS

- H:17½" W:48" D:11"
- Specifiable drop from ceiling

MATERIALS

- 100% recycled cast aluminum
- Laser cut aluminum
- Mica on glass lens

FINISH OPTIONS

- Natural aluminum with smooth River Rock finish
- Optional Artist Patinas or colored powdercoats available (shown here with antique black Artist Patina)
- Optional glass lustres available

LAMPING I I I





- + F-Five 26W GU24 CFL OR
- 1-Five 60w incandescent, medium base



VOLTAGE

- + 120V OR
- 277V (FLUORESCENT SPECIAL ORDER)

FUNCTION

- Interior
- Commercial/residential
- Retail/hospitality
- Entryway
- Stairwell



DOWNLOADABLE SPEC SHEET

DRY LISTED. Approved for use in dry indoor locations only. ETL conforms to one or all of UL STD 1598, CAN/CSA STD C22.2

All designs by Eric Kaster and Eleek, Inc. unless otherwise noted. Images not to be used or reproduced without permission.

CHANDELIER **SCONCE + VANITY** LINKS **CEILING + MOUNT** TABLE + FLOOR **BOLLARD** PIER + CUPOLA **PENDANT**





KABUKI CHANDELIER

Five glowing glass shades play from their simple yet elegant stage in this stunning Japanese inspiration.







PRODUCT NO.

L5I22P

DIMENSIONS

- + H:20" W:60" D:16"
- Specifiable drop from ceiling

MATERIALS

- 100% recycled cast aluminum
- Steel mesh
- Aircraft cable
- Etched borosilicate glass diffuser

FINISH OPTIONS

- Natural aluminum with smooth River Rock finish
- Optional Artist Patinas or colored powdercoats available
- Optional glass lustres available

LAMPING © IIII OF I







- 1–Five 25w incandescent, candelabra base (may substitute candelabra base CFL OR LED for
- lower energy usage) 🙃 → F-Five 18W GU24 CFL





VOLTAGE

• 120V

FUNCTION

- Interior
- Commercial/residential
- Retail/hospitality



DOWNLOADABLE SPEC SHEET

DRY LISTED. Approved for use in dry indoor locations only. ETL conforms to one or all of UL STD 1598, 2108 or 8750 CAN/CSA STD C22.2 NO.250.0

All designs by Eric Kaster and Eleek, Inc. unless otherwise noted. Images not to be used or reproduced without permission.

CHANDELIER **SCONCE + VANITY** LINKS **CEILING + MOUNT** TABLE + FLOOR **BOLLARD** PIER + CUPOLA **PENDANT**



CALLIOPE CHANDELIER

We love this luminaire! It makes us think of a flower bud about to bloom ... or an alien starseed blowing across the galaxy in search of fertile ground. If it were a film it would be City of Lost Children. This large and beautiful chandelier incorporates sheets of art glass "clipped" around a metal globe.











PRODUCT NO.

L5188P

DIMENSIONS

- + H:42" Ø:33"
- Specifiable drop length

MATERIALS

- 100% recycled cast aluminum
- Steel
- Art glass
- Etched borosilicate glass lens

FINISH OPTIONS

- Specifiable art glass color
- Natural aluminum with soft River Rock finish
- Optional Artist Patinas or colored powdercoats available









- F-Three 42w fluorescent, quad, 4-PIN, G24Q-3 base
- → F-Three 42W GU24 CFL
- I-One 150w max incandescent medium base

S ELEEK LAMPING GUIDE

- **VOLTAGE** + 120V OR
- 277V (FLUORESCENT G24Q-3 BASE ONLY)

FUNCTION

- Interior
- Commercial/residential
- Retail/hospitality



DOWNLOADABLE SPEC SHEET

DRY LISTED. Approved for use in dry indoor locations only. ETL conforms to one or all of UL STD 1598, CAN/CSA STD C22.2

All designs by Eric Kaster and Eleek, Inc. unless otherwise noted. Images not to be used or reproduced without permission.

CHANDELIER **SCONCE + VANITY CEILING + MOUNT** LINKS TABLE + FLOOR **BOLLARD** PIER + CUPOLA **PENDANT**



ETHOS CHANDELIER

Emboldened with the spirit of a bygone era, Ethos stoically states that function is the raison d'etre of form. Simple is essential and nothing more is needed, thank you very much.







PRODUCT NO.

L10400P

DIMENSIONS

- Each cylinder: H:10" W:2⁷/8"
- Specifiable drop from ceiling
- Also available as individual pendants

MATERIALS

- 100% recycled cast aluminum
- Extruded Aluminum
- Laser cut stainless steel
- Etched borosilicate glass diffuser

FINISH OPTIONS

- Natural aluminum with smooth *River Rock* finish
- Optional Artist Patinas or colored powdercoats available (shown with Desert Nite Black powdercoat)

LAMPING -



• L−9.5W X 3 LED

ELEEK LAMPING GUIDE

VOLTAGE

+ 120V

FUNCTION

- Interior
- Commercial/residential
- Retail/hospitality



DRY LISTED. Approved for use in dry indoor locations only. ETL conforms to one or all of UL STD 1598, 2108 or 8750 CAN/CSA STD C22.2 NO.250.0

All designs by Eric Kaster and Eleek, Inc. unless otherwise noted. Images not to be used or reproduced without permission.

CHANDELIER **SCONCE + VANITY** LINKS **CEILING + MOUNT** TABLE + FLOOR **BOLLARD** PIER + CUPOLA **PENDANT**

ELEEK SCONCES + VANITIES









Jester



Teahouse



Takashima



Craftsman



Sentinel



Bellisimo



Orbitron




Gatsby



Pharos



Neoslide



Small Shield



Shield



Roller



Three Spoons



Irvington



Pillar



Zelda



Swan




Madison



Blink



Elliott



Icon



Emisora

SCONCE + VANITY **CEILING + MOUNT** PIER + CUPOLA LINKS **PENDANT** CHANDELIER TABLE + FLOOR **BOLLARD**





ILLUMINATA SCONCE

Old world charm and exquisite detail blend in the warm glow of Illuminata. The glass is hand blown in a mold especially created for this luminaire. White or amber glass. Also available as a pendant.









PRODUCT NO.

LI003W

DIMENSIONS

H:18¹/16" W:5³/8" D:8¹/16"

MATERIALS

- 100% recycled cast aluminum @
- 90% recycled cast bronze
- Hand blown glass shade in opal white @ amber

FINISH OPTIONS

- Natural aluminum with smooth River Rock finish
- Oil rubbed bronze (shown)
- Optional Artist Patinas or colored powdercoats available

- F-One 27W max GU24 CFL OR
- 1-One 60w incandescent, medium base (may substitute medium base CFL for lower energy usage) 💿
- L-7W LED (with opal white shade only)



VOLTAGE

• 120V

FUNCTION

Interior

SEE ALSO

- Commercial/residential
- Retail/hospitality



WET LISTED. Approved for use in indoor and outdoor locations. ETL conforms to one or all of UL STD 1598, 2108 or 8750 $\,$ CAN/CSA STD C22.2 NO.250.0

All designs by Eric Kaster and Eleek, Inc. unless otherwise noted. Images not to be used or reproduced without permission.

SCONCE + VANITY LINKS **CHANDELIER CEILING + MOUNT BOLLARD** PIER + CUPOLA **PENDANT** TABLE + FLOOR





JESTER SCONCE

Whimsical and oversized (to give you that weird Alice in Wonderland shrinking feeling), the sturdy Jester laughs at bad weather.







PRODUCT NO.

L3017W

DIMENSIONS

H:14½" W:12" D:13½"

MATERIALS

- + 100% recycled cast aluminum @
- 90% recycled cast bronze
- Etched borosilicate glass diffuser

FINISH OPTIONS

- Natural aluminum with smooth River Rock finish
- Bronze with smooth, raw finish
- · Optional Artist Patinas or colored powdercoats available
- Optional glass lustres available







- F-One 32w fluorescent, triple, 4-PIN, GX24Q-3 base (277v) 💿
- I-One 60w max incandescent, medium base (may substitute medium base CFL for lower energy usage) 💿
- ◆ L-7W LED



VOLTAGE

- + 120V OR
- 277V (GX24Q-3 FLUORESCENT)



DOWNLOADABLE SPEC SHEET

WET LISTED. Approved for use in indoor and outdoor locations. ETL conforms to one or all of UL STD 1598, 2108 or 8750 CAN/CSA STD C22.2 NO.250.0

All designs by Eric Kaster and Eleek, Inc. unless otherwise noted. Images not to be used or reproduced without permission.





TEAHOUSE SCONCE

Soft light filtered through mica (or glass, your choice) contributes to the soothing nature of this nouveau Japanese luminaire.





Chimo chandelier Teahouse chandelier Kabuki chandelier Takashima sconce





PRODUCT NO.

L408IW

DIMENSIONS

H:14" W:13" D:11"

MATERIALS

- 100% recycled cast aluminum
- Laser cut aluminum
- Mica 💿 glass lens

FINISH OPTIONS

- Natural aluminum with smooth River Rock finish
- Optional Artist Patinas or colored powdercoats available (shown here with antique black Artist Patina)
- Optional glass lustres available

LAMPING (1987) 00 00 00





- + F -One max 27W GU24 CFL OR
- 1-One 60w incandescent, medium base (may substitute medium base CFL for lower energy usage)



\$\Box\$ ELEEK LAMPING GUIDE

VOLTAGE

+ 120V

FUNCTION

- Interior/exterior
- Commercial/residential
- Retail/hospitality



DOWNLOADABLE SPEC SHEET

WET LISTED. Approved for use in indoor and outdoor locations. ETL conforms to one or all of UL STD 1598, CAN/CSA STD C22.2 NO.250.0

All designs by Eric Kaster and Eleek, Inc. unless otherwise noted. Images not to be used or reproduced without permission.





TAKASHIMA SCONCE

Artful lines and balance grace this modern Japanese inspiration.







Chimo chandelier Teahouse chandelier Kabuki chandelier Teahouse sconce





PRODUCT NO.

L4095W

DIMENSIONS

H:14" W:13" D:11"

MATERIALS

- 100% recycled cast aluminum
- Laser cut aluminum
- Etched borosilicate glass op opal white acrylic diffuser

FINISH OPTIONS

- Natural aluminum with smooth River Rock finish (shown)
- Optional Artist Patinas or colored powdercoats available
- Optional glass lustres available

LAMPING I I I



- + F-One 27W max GU24 CFL OR
- 1-One 60w incandescent, medium base (may substitute medium base CFL for lower energy usage)



VOLTAGE

• 120V

FUNCTION

- Interior/exterior
- Commercial/residential
- Retail/hospitality



DOWNLOADABLE SPEC SHEET

WET LISTED. Approved for use in indoor and outdoor locations. ETL conforms to one or all of UL STD 1598, 2108 or 8750 CAN/CSA STD C22.2 NO.250.0


All designs by Eric Kaster and Eleek, Inc. unless otherwise noted. Images not to be used or reproduced without permission.





CRAFTSMAN SCONCE

While the Craftsman sconce may at first look like an architectural reproduction, details prove it to be an Eleek original. A mica lens transmits warm amber light. Available with low-energy lamping.



Arm style variation.







PRODUCT NO.

LI002W

DIMENSIONS

H:II" W:7" D:8½"

MATERIALS

- + 100% recycled cast aluminum 💿
- 90% recycled cast bronze
- Mica diffuser

FINISH OPTIONS

- Natural aluminum with smooth River Rock finish
- Oil-rubbed bronze
- Optional Artist Patinas or colored powdercoats available

LAMPING 💷 💿 🔍

- F-One 18W GU24 CFL @
- I-One 60w incandescent, medium base (may substitute medium base CFL for lower energy usage)



VOLTAGE

+ 120V

FUNCTION

- Interior/exterior
- Commercial/residential
- Retail/hospitality



DAMP LISTED. Approved for use in covered outdoor locations. ETL conforms to one or all of UL STD 1598, CAN/CSA STD C22.2

All designs by Eric Kaster and Eleek, Inc. unless otherwise noted. Images not to be used or reproduced without permission.





SENTINEL SCONCE

A modern Craftsman masterpiece to watch over your world, the Sentinal offers unusual and eyecatching lines.









PRODUCT NO.

L5158W

DIMENSIONS

H:16" W:5" D:6½"

MATERIALS

- + 100% recycled cast aluminum @
- 90% recycled cast bronze
- Etched borosilicate glass of opal acrylic diffuser

FINISH OPTIONS

- Natural aluminum with smooth *River Rock* finish
- Optional Artist Patinas or colored powdercoats available
- Optional glass lustres available



- F-One 26w fluorescent, 4-PIN, G24Q-3 base @
- + F-One 27W MAX GU24 CFL OR
- I-One 40w incandescent, candelabra base (glass diffuser only) ©
- ◆ L-7W LED



VOLTAGE

- + 120V
- 277V (4-PIN FLUORESCENT ONLY)

FUNCTION

- Interior/exterior
- Commercial/residential
- Retail/hospitality



WET LISTED. Approved for use in indoor and outdoor locations. ETL conforms to one or all of UL STD 1598, 2108 or 8750 CAN/CSA STD C22.2 NO.250.0

All designs by Eric Kaster and Eleek, Inc. unless otherwise noted. Images not to be used or reproduced without permission.





BELLISSIMO SCONCE

Classic good looks finely constructed of 100% recycled cast aluminum and etched glass. Voila! Bellissimo!







PRODUCT NO.

L5150W

DIMENSIONS

H:10" W:51/4" D:61/2"

MATERIALS

- 100% recycled cast aluminum 💿
- 90% recycled cast bronze
- Etched borosilicate glass diffuser

FINISH OPTIONS

- Natural aluminum with smooth River Rock finish
- Optional Artist Patinas or colored powdercoats available
- Optional glass lustres available

LAMPING © G-

- 1–One 35w incandescent, candelabra base 💿
- ◆ L-IW LED



VOLTAGE

+ 120V

FUNCTION

- Interior
- Commercial/residential
- Retail/hospitality
- Decorative lighting
- Vanity lighting
- Task lighting
- Dressing table and bedside illumination
- General room lighting



DRY LISTED. Approved for use in dry indoor locations only. ETL conforms to one or all of UL STD 1598, 2108 or 8750 CAN/CSA STD C22.2 NO.250.0

All designs by Eric Kaster and Eleek, Inc. unless otherwise noted. Images not to be used or reproduced without permission.





ORBITRON SCONCE

Designed as an unmanned exploration module to search for extraterrestrial life,
Orbitron is now available to light up your life.







PRODUCT NO.

L5169W

DIMENSIONS

H:19¹/₄" W:12" D:17"

MATERIALS

- 100% recycled cast aluminum
- Laser cut aluminum
- Opal white acrylic lens

FINISH OPTIONS

- Natural aluminum with smooth River Rock finish
- Optional Artist Patinas or colored powdercoats available

- F-One 42W MAX fluorescent, triple, 4-pin, GX24Q-4 base ©
- I-One 60W MAX incandescent, medium base (may substitute medium base CFL for lower energy usage)
 •
- ◆ M-One 70W MAX metal halide



VOLTAGE

- + 120V
- 277V (FLUORESCENT OR METAL HALIDE ONLY)

FUNCTION

- Interior/exterior
- Commercial/residential
- Retail/hospitality
- Sidewalk and courtyard illumination



WET LISTED. Approved for use in indoor and outdoor locations. ETL conforms to one or all of UL STD 1598, CAN/CSA STD C22.2 NO.250.0


All designs by Eric Kaster and Eleek, Inc. unless otherwise noted. Images not to be used or reproduced without permission.





GATSBY SCONCE

Boldy going where no sconce has gone before... and impressively large, the great *Gatsby* offers solid construction and Art Deco instincts.









PRODUCT NO.

L3023W

DIMENSIONS

H:34" W:27" D:34"

MATERIALS

- 100% recycled cast aluminum
- Laser cut aluminum
- Opal white acrylic diffuser

FINISH OPTIONS

- Natural aluminum with smooth River Rock finish
- Optional Artist Patinas or colored powdercoats available (shown here with metallic bronze powdercoat)

LAMPING 🗐 🖃 🗇

- F-Two 32w fluorescent, quad, 4-pin, G24Q-3 base ©



VOLTAGE

- 120V
- 277V (4-PIN FLUORESCENT ONLY)

FUNCTION

- Interior/exterior
- Commercial/residential
- Retail/hospitality
- Sidewalk and courtyard illumination



WET LISTED. Approved for use in indoor and outdoor locations. ETL conforms to one or all of UL STD 1598, 2108 or 8750 CAN/CSA STD C22.2 NO.250.0

All designs by Eric Kaster and Eleek, Inc. unless otherwise noted. Images not to be used or reproduced without permission.





PHAROS SCONCE

A cantilevered lighthouse to weather the storm and bring you home safe and sound.







PRODUCT NO.

L4080W

DIMENSIONS

H:18" W:9" D:131/4"

MATERIALS

- 100% recycled cast aluminum
- Laser cut aluminum
- Etched glass @ opal white acrylic shade
- Glass lens

FINISH OPTIONS

- Natural aluminum with smooth River Rock finish
- · Optional Artist Patinas or colored powdercoats available
- Optional glass lustres available



- м-One 50w metal halide (glass shade only) 💿
- F-One 42w fluorescent, triple, 4-pin, GX24Q-4 base 🚳
- I-One 60w incandescent, medium base (may substitute medium base CFL for lower energy usage) (glass shade only)



VOLTAGE

- ◆ 277V (FLUORESCENT OR METAL HALIDE ONLY)

FUNCTION

- Interior/exterior
- Commercial/residential
- Retail/hospitality



SEE ALSO

Pharos bollard

DOWNLOADABLE SPEC SHEET

WET LISTED. Approved for use in indoor and outdoor locations. ETL conforms to one or all of UL STD 1598, 2108 or 8750 CAN/CSA STD C22.2 NO.250.0

All designs by Eric Kaster and Eleek, Inc. unless otherwise noted. Images not to be used or reproduced without permission.

SCONCE + VANITY CHANDELIER CEILING + MOUNT BOLLARD PIER + CUPOLA LINKS **PENDANT** TABLE + FLOOR





NEOSLIDE SCONCE

For the discerningly appointed underwater dungeon.









PRODUCT NO.

L3009W

DIMENSIONS

H:I2½" W:7½" D:5"

MATERIALS

- 100% recycled cast aluminum @
- 90% recycled cast bronze
- Glass lens

FINISH OPTIONS

- * Natural aluminum with smooth River Rock finish
- Oil rubbed bronze
- Optional Artist Patinas or colored powdercoats available (shown here with metallic grey powdercoat)
- Optional glass lustres available

LAMPING Compared to the second sec

- F-One 32w fluorescent, triple, 4-PIN, GX24Q-3 base ©
- I-One 60w max incandescent, medium base (may substitute medium base CFL for lower energy usage)



VOLTAGE

- 120V
- 277V (4-PIN FLUORESCENT ONLY)

FUNCTION

- Interior/exterior
- Commercial/residential



DAMP/WET LISTED: Approved for use in covered outdoor locations when opening faces up. Approved for uncovered outdoor locations with opening down. ETL conforms to one or all of UL STD 1598, CAN/CSA STD C22.2 NO.250.0.

All designs by Eric Kaster and Eleek, Inc. unless otherwise noted. Images not to be used or reproduced without permission.





SMALL SHIELD SCONCE

This unique modern relic beams light up, down, and through its glass window ... which can be etched with any combination of letters, numbers, or simple graphics. The perfect door identifier.









PRODUCT NO.

L30IOW

DIMENSIONS

H:12" W:6" D:3"

MATERIALS

- + 100% recycled cast aluminum @
- 90% recycled cast bronze
- Etched glass shade

FINISH OPTIONS

- * Natural aluminum with smooth River Rock finish
- Oil-rubbed bronze
- Optional Artist Patinas and colored powdercoats available

LAMPING -

• L-3.5W LED

VOLTAGE

+ 120V

FUNCTION

- Interior or covered exterior lighting
- Commercial/residential
- Retail/hospitality



DOWNLOADABLE SPEC SHEET

DAMP LISTED. Approved for use in covered outdoor locations. ETL conforms to one or all of UL STD 1598, 2108 or 8750 CAN/CSA STD C22.2 NO.250.0

All designs by Eric Kaster and Eleek, Inc. unless otherwise noted. Images not to be used or reproduced without permission.





SHIELD SCONCE

At nearly five feet tall, this graceful curved shield is as imposing as it is elegant. The design overlay can be customized.









PRODUCT NO.

L30IIW

DIMENSIONS

H:60" W:21" D:7½"

MATERIALS

- 100% recycled cast aluminum
- Laser cut aluminum
- Specifiable acrylic lens

FINISH OPTIONS

- Natural aluminum with smooth River Rock finish
- Optional Artist Patinas or colored powdercoats available (shown here with matte black powdercoat)

• F-Two 32w fluorescent, triple, 4-PIN, GX24Q-3 base

VOLTAGE

- 120V
- + 277V

FUNCTION

- Exterior lighting
- Commercial lighting
- Sidewalk or courtyard illumination
- Retail and hospitality

Design by Gunnar Langhus and Eric Kaster.



SEE ALSO

Small Shield sconce

DOWNLOADABLE SPEC SHEET

WET LISTED. Approved for use in outdoor locations. ETL conforms to one or all of UL STD 1598, CAN/CSA STD C22.2 NO.250.0

All designs by Eric Kaster and Eleek, Inc. unless otherwise noted. Images not to be used or reproduced without permission.





ROLLER SCONCE

No, you can't really pull the shade up and down, but it almost begs you to try. The sleek canister sends light through the etched lens, making your message glow.







PRODUCT NO.

L3019W

DIMENSIONS

H:12" W:63/4" D:4"

MATERIALS

- 100% recycled cast aluminum @
- 90% recycled cast bronze
- Opal white acrylic with laser cut applied lettering

FINISH OPTIONS

- Natural aluminum with smooth *River Rock* finish
- Optional Artist Patinas or colored powdercoats available
- Acrylic can be overlaid with any logo or graphic

LAMPING -

• L-3.5W LED

VOLTAGE

+ 120V

FUNCTION

- Interior/exterior
- Commercial or residential street number and door lighting
- Retail/hospitality



DOWNLOADABLE SPEC SHEET

WET LISTED. Approved for use in outdoor locations. ETL conforms to one or all of UL STD 1598, 2108 or 8750 CAN/CSA STD

All designs by Eric Kaster and Eleek, Inc. unless otherwise noted. Images not to be used or reproduced without permission.

SCONCE + VANITY LINKS **CHANDELIER CEILING + MOUNT** TABLE + FLOOR **BOLLARD** PIER + CUPOLA **PENDANT**





3 SPOONS SCONCE

This bouquet of spoon shapes calls to mind a peacock tail as Charles Rennie Mackintosh might have envisioned it. The box with hammered detail stands proudly off the wall.









PRODUCT NO.

L3014W

DIMENSIONS

H:33" W:6½" D:3"

MATERIALS

- + 100% recycled cast aluminum @
- 90% recycled cast bronze
- Art glass

FINISH OPTIONS

- Natural aluminum with smooth River Rock finish
- Oil rubbed bronze (shown)
- Optional Artist Patinas or colored powdercoats available

LAMPING -

◆ L-3W LED

VOLTAGE

• 120V

FUNCTION

- Interior
- Commercial/residential
- Retail/hospitality
- Decorative lighting
- Ambient lighting
- Hallway lighting



SEE ALSO

Spoon pendant

DOWNLOADABLE SPEC SHEET

DRY LISTED. Approved for use in dry indoor locations only. ETL conforms to one or all of UL STD 1598, 2108 or 8750 CAN/CSA STD C22.2 NO.250.0

All designs by Eric Kaster and Eleek, Inc. unless otherwise noted. Images not to be used or reproduced without permission.

PIER + CUPOLA






IRVINGTON SCONCE

Warm and cool metal tones create contrast while mica filters the light to a rich amber glow. Up and down spots highlight the architecture. Beautifully built and weather ready.









PRODUCT NO.

L4069W

DIMENSIONS

H:24" W:II" D:4½"

MATERIALS

- 85% recycled laser cut aluminum
- Perforated bronze sheet
- 90% recycled cast bronze
- Mica lens

FINISH OPTIONS

Natural aluminum with smooth *River Rock* finish and bronze with patina

LAMPING =

- н-Two 50w мг 16 halogen
- + L-LED

VOLTAGE

- + 120V
- 277V

FUNCTION

- Interior/exterior
- Residential/commercial
- Retail and hospitality
- Sidewalk or courtyard illumination



DOWNLOADABLE SPEC SHEET

WET LISTED. Approved for use in outdoor locations. ETL conforms to one or all of UL STD 1598, CAN/CSA STD C22.2 NO.250.0

All designs by Eric Kaster and Eleek, Inc. unless otherwise noted. Images not to be used or reproduced without permission.





PILLAR SCONCE

Classic and tailored, Pillar combines a detailed cast base with a sturdy acrylic lens and laser cut ribs. Black tie for any occasion.







PRODUCT NO.

L3030W

DIMENSIONS

H:27" W:11" D:7"

MATERIALS

- 100% recycled cast aluminum
- Opal white acrylic diffuser

FINISH OPTIONS

- Natural aluminum with smooth River Rock finish
- Optional Artist Patinas or colored powdercoats available

LAMPING 🖅 💿 🗇

- F-One 36w fluorescent, long twin tube, 2GII base ©
- L-17W LED



VOLTAGE

- + 120V
- ◆ 277V

FUNCTION

- Interior/exterior
- Commercial/residential
- Retail/hospitality



WET LISTED. Approved for use in outdoor locations. ETL conforms to one or all of UL STD 1598, 2108 or 8750 CAN/CSA STD C22.2 NO.250.0

All designs by Eric Kaster and Eleek, Inc. unless otherwise noted. Images not to be used or reproduced without permission.





ZELDA SCONCE

This simple and lovely Art Deco inspiration is beautifully constructed to endure the worst weather (and a flood of compliments too).









PRODUCT NO.

L3026W

DIMENSIONS

• н:14" w:9" р:3"

MATERIALS

- 100% recycled cast aluminum @
- 90% recycled cast bronze
- Opal white acrylic diffuser


FINISH OPTIONS


- Natural aluminum with smooth River Rock finish
- · Optional Artist Patinas or colored powdercoats available (shown here with charcoal gray powdercoat)

LAMPING 🖅 💿 🗇











\$ ELEEK LAMPING GUIDE

VOLTAGE

- + 120V
- + 277V

FUNCTION

- Interior/exterior
- Commercial/residential
- Retail/hospitality



DOWNLOADABLE SPEC SHEET

WET LISTED. Approved for use in outdoor locations. ETL conforms to one or all of UL STD 1598, 2108 or 8750 CAN/CSA STD C22.2 NO.250.0

All designs by Eric Kaster and Eleek, Inc. unless otherwise noted. Images not to be used or reproduced without permission.





SWAN SCONCE

Combining classic Art Deco styling with recycled materials and flexible lamping options, Swan is one graceful, magnificent creature.







PRODUCT NO.

L6329W

DIMENSIONS

H:19" W:17" D:5"

MATERIALS

- 100% recycled cast aluminum @
- 90% recycled cast bronze
- Etched acrylic diffuser

FINISH OPTIONS

- Natural aluminum with smooth River Rock finish
- Oil rubbed bronze
- Optional Artist Patinas or colored powdercoats available (shown here with Vintage Silver Artist Patina on aluminum)





- 1–Two 20w max incandescent, candelabra base 🞯



VOLTAGE

• 120V

INTERIOR

- Commercial/residential
- Retail/hospitality
- Decorative lighting
- Ambient lighting
- Hallway lighting



DOWNLOADABLE SPEC SHEET

DRY LISTED. Approved for use in dry indoor locations only. ETL conforms to one or all of UL STD 1598, 2108 or 8750 CAN/CSA STD C22.2 NO.250.0

All designs by Eric Kaster and Eleek, Inc. unless otherwise noted. Images not to be used or reproduced without permission.

SCONCE + VANITY LINKS **CHANDELIER CEILING + MOUNT** TABLE + FLOOR **BOLLARD** PIER + CUPOLA **PENDANT**





MADISON SCONCE

Warm, rustic and very hip, the Madison Sconce creates glowing ambiance in any room. This new modern classic is also available as a pendant or a chandelier.









PRODUCT NO.

L3020W

DIMENSIONS

H:10¹/₄" W:8¹/₄" D:4"

MATERIALS

- Laser cut recycled steel
- Mica shade in amber on gray
- Recycled aluminum support castings.

FINISH OPTIONS

- Brushed stainless steel with *River Rock* details
- Copper metallic finish (shown)



- + F-One 13W 2-PIN fluorescent
- I-One 40w incandescent candelabra base



VOLTAGE

- 120V
- 277V



DRY LISTED. Approved for use in dry indoor locations only. ETL conforms to one or all of UL STD 1598, CAN/CSA STD C22.2 NO.250.0

All designs by Eric Kaster and Eleek, Inc. unless otherwise noted. Images not to be used or reproduced without permission.





BLINK

Blink is a wall sconce with fresh, modern styling and more than a touch of personality.









PRODUCT NO.

L8377W

DIMENSIONS

H:4½" W:4½" D:7"

MATERIALS

- 100% recycled aluminum
- Etched borosilicate glass

FINISH OPTIONS

- Natural aluminum with smooth *River Rock* finish (shown)
- Optional Artist Patinas or colored powdercoats available
- Optional glass lustres available

LAMPING 📼 💿 🗇

- I-One 40W MAX bayonet base incandescent ©
- ◆ L-IOW LED



VOLTAGE

• 120V

FUNCTION

- Interior
- Commercial/Residential
- Retail/hospitality
- Decorative lighting
- Ambient lighting
- Hallway lighting



DRY LISTED. Approved for use in dry indoor locations only. ETL conforms to one or all of UL STD 1598, 2108 or 8750 CAN/CSA STD C22.2 NO.250.0

All designs by Eric Kaster and Eleek, Inc. unless otherwise noted. Images not to be used or reproduced without permission.





ELLIOTT VANITY

Simple and stately, this fixture is modern with a tip of the hat to Art Deco designs of the past. Can be installed vertically or horizontally. Either/Or.







PRODUCT NO.

L3018W

DIMENSIONS

- + H:27" W:45%" D:53%" OR
- V2- H:37" W:45%" D:53%"

MATERIALS

- 100% recycled cast aluminum @
- 90% recycled cast bronze
- Etched borosilicate glass

FINISH OPTIONS

- Natural aluminum with smooth River Rock finish (shown)
- Optional Artist Patinas or colored powdercoats available

LAMPING

- + F-Two 24w fluorescent, twin tube, 2GII base @
- Fv2–Two 36w fluorescent, twin tube, 2GII base

VOLTAGE

- + 120V
- + 277V

FUNCTION

- Interior or covered exterior
- Commercial/residential
- Retail/hospitality
- Vanity (bathroom)
- General room lighting
- Task lighting



DAMP LISTED. Approved for use in dry indoor locations only. ETL conforms to one or all of UL STD 1598, CAN/CSA STD C22.2 NO.250.0

All designs by Eric Kaster and Eleek, Inc. unless otherwise noted. Images not to be used or reproduced without permission.





ICON VANITY

Who knew a fluorescent tube could look so good?







PRODUCT NO.

L4065W

DIMENSIONS

- V2- H:39" W:4³/₄" D:5¹/₂"

MATERIALS

- 100% recycled cast aluminum
- Etched glass diffuser

FINISH OPTIONS

- Natural aluminum with smooth *River Rock* finish
- Optional Artist Patinas or colored powdercoats available

LAMPING _____

- F-One 24W T5 H0 fluorescent @
- Fv2-One 39W T5 H0 fluorescent

VOLTAGE

- 120V
- ◆ 277V

FUNCTION

- Interior or covered exterior
- Commercial/residential
- Retail/hospitality
- Vanity (bathroom)
- General room lighting
- Task lighting



DOWNLOADABLE SPEC SHEET

DAMP LISTED. Approved for use in dry indoor locations only. ETL conforms to one or all of UL STD 1598, CAN/CSA STD C22.2 NO.250.0

All designs by Eric Kaster and Eleek, Inc. unless otherwise noted. Images not to be used or reproduced without permission.





EMISORA SCONCE

Capable of intercepting and decoding alien transmissions from beyond our galaxy, the Emisora is much more than a light fixture. Orientation (vertical or horizontal) may affect reception.







PRODUCT NO.

L3025W

DIMENSIONS

H:30" Ø:3"

MATERIALS

- 100% recycled cast aluminum
- Opal acrylic diffuser

FINISH OPTIONS

- Natural aluminum with smooth River Rock finish
- Optional Artist Patinas or colored powdercoats available

LAMPING = □





- → F-24W T5 fluorescent
- ◆ L-17W LED



ELEEK LAMPING GUIDE

VOLTAGE

- 120V
- ◆ 277V

FUNCTION

- Interior or covered exterior
- Commercial/residential
- Retail/hospitality
- Vanity (bathroom)
- General room lighting
- Task lighting



DOWNLOADABLE SPEC SHEET

WET LISTED. Approved for use in dry indoor locations only. ETL conforms to one or all of UL STD 1598, CAN/CSA STD C22.2

All designs by Eric Kaster and Eleek, Inc. unless otherwise noted. Images not to be used or reproduced without permission.

ELEEK CEILING + TABLE + FLOOR



CEILING



Centre

TABLE + FLOOR







Pagoda



Hemmingway



LINKS PENDANT

CHANDELIER

SCONCE + VANITY

CEILING + MOUNT

TABLE + FLOOR

BOLLARD

PIER + CUPOLA





CENTRE CEILING MOUNT

Details make all the difference. The etched glass lens floats slightly below the canopy, with light reflecting up and out. Blown glass bead at the

end of the lens seals the deal.





PRODUCT NO.

L5118C

DIMENSIONS

н:8¾" ø:6½"

MATERIALS

- 100% recycled cast aluminum
- Etched borosilicate glass diffuser

FINISH OPTIONS

- Natural aluminum with smooth River Rock finish
- Optional Artist Patinas or colored powdercoats available
- Optional glass lustres available

LAMPING I G I









VOLTAGE

+ 120V

FUNCTION

- Interior and covered exterior
- Commercial/residential
- Retail/hospitality
- General room lighting
- Bathroom
- Kitchen



DOWNLOADABLE SPEC SHEET

DAMP LISTED. Approved for use in covered outdoor locations. ETL conforms to one or all of UL STD 1598, CAN/CSA STD C22.2

All designs by Eric Kaster and Eleek, Inc. unless otherwise noted. Images not to be used or reproduced without permission.

CEILING + MOUNT CHANDELIER SCONCE + VANITY TABLE + FLOOR **BOLLARD** PIER + CUPOLA LINKS **PENDANT**





CAST IRON LANTERN

This is the real deal in heavy cast iron, bronze or aluminum (not so heavy). Emits a warm amber glow and positively exudes authenticity. Perfect for the bedroom or any place soft, romantic light is desired.









PRODUCT NO.

LIOOOS

DIMENSIONS

H:15¹/₄" W:7¹/₈" D:7¹/₈"

MATERIALS

- Cast iron (shown) 💿
- 100% recycled cast aluminum @
- 90% recycled cast bronze
- Mica diffuser

FINISH OPTIONS

- Oiled cast iron (shown)
- Oil rubbed bronze
- Natural aluminum with smooth River Rock finish
- Optional Artist Patinas or colored powdercoats available

LAMPING I I I





- + F−One 26W GU24 CFL OR
- 1-One 60w incandescent, medium base (may substitute medium base CFL for lower energy usage)



VOLTAGE

• 120V

FUNCTION

- Interior
- Commercial/residential
- Retail/hospitality



DOWNLOADABLE SPEC SHEET

DRY LISTED. Approved for use in dry indoor locations only. ETL conforms to one or all of UL STD 1598, CAN/CSA STD C22.2

All designs by Eric Kaster and Eleek, Inc. unless otherwise noted. Images not to be used or reproduced without permission.


CEILING + MOUNT TABLE + FLOOR LINKS **CHANDELIER SCONCE + VANITY BOLLARD** PIER + CUPOLA **PENDANT**





PAGODA SURFACE MOUNT

Standing more than two feet tall, the Pagoda is a weather-ready sculpture perfect for your gate, garden or courtyard.









PRODUCT NO.

L3007S

DIMENSIONS

H:26" W:18" D:18"

MATERIALS

- + 100% recycled cast aluminum 💿
- 90% recycled cast bronze
- Etched glass

FINISH OPTIONS

- Natural aluminum with smooth River Rock finish
- Oil rubbed bronze
- Raw bronze (shown)
- Optional Artist Patinas or colored powdercoats available

LAMPING 🗐 🖂 🖤

- F-One 42w fluorescent, triple, 4-PIN, GX24Q-4 base ©
- I-One 100w max incandescent, medium base (may substitute medium base CFL for lower energy usage)



VOLTAGE

- 120V
- 277V (FLUORESCENT ONLY)

FUNCTION

- Interior/exterior
- Commercial/residential
- Retail/hospitality



WET LISTED. Approved for use in outdoor locations. ETL conforms to one or all of UL STD 1598, CAN/CSA STD C22.2 NO.250.0

All designs by Eric Kaster and Eleek, Inc. unless otherwise noted. Images not to be used or reproduced without permission.





HEMMINGWAY TABLE LAMP

A small lamp combining equal parts stoic masculinity and artful brevity.

"There are four basic premises of writing: clarity, brevity, simplicity and humanity."

-William Zinsser







PRODUCT NO.

L5151S

DIMENSIONS

H:7" Ø:5"

MATERIALS

- 90% recycled cast bronze
- Translucent plastic shade

FINISH OPTIONS

- Natural aluminum with smooth River Rock finish (shown)
- Optional Artist Patinas or colored powdercoats available

LAMPING

• I-One 40w incandescent, candelabra base

VOLTAGE

+ 120V

FUNCTION

- Interior
- Commercial/residential
- Retail/hospitality
- Decorative lighting
- General room lighting
- Dressing table illumination
- Bedside and bedroom illumination
- Table lamp



DOWNLOADABLE SPEC SHEET

DRY LISTED. Approved for use in dry indoor locations only. ETL conforms to one or all of UL STD 1598, CAN/CSA STD C22.2 NO.250.0

All designs by Eric Kaster and Eleek, Inc. unless otherwise noted. Images not to be used or reproduced without permission.

BOLLARD + PIER + CUPOLA



BOLLARD







Nightwatch




Torre



Nightcap boll.



Nightcap lamp.



Ribcage

PIER + CUPOLA



Liza




Pinnacle





PHAROS BOLLARD

A sturdy beacon to serve and protect.











PRODUCT NO.

L4070B

DIMENSIONS

H:44" Ø:9"

MATERIALS

- Steel tubing
- Laser cut steel
- Etched borosilicate glass lens diffuser 📀
- Opal white acrylic diffuser

FINISH OPTIONS

Colored powdercoats (shown here in gray powdercoat)

- м-One 39w, 50w or 70w metal halide @
- F-One 42 w fluorescent, triple, 4-PIN, GX24Q-4 base



VOLTAGE

• 120V or 277V

FUNCTION

- Exterior
- Commercial
- Retail/hospitality
- Decorative
- Sidewalk or courtyard illumination
- Security



DOWNLOADABLE SPEC SHEET

WET LISTED. Approved for use in outdoor locations. ETL conforms to one or all of UL STD 1598, CAN/CSA STD C22.2 NO.250.0

All designs by Eric Kaster and Eleek, Inc. unless otherwise noted. Images not to be used or reproduced without permission.

LINKS PENDANT





NIGHTWATCH BOLLARD

Horizontal lines contrast and louver the light from this fearless night watchman.









PRODUCT NO.

L4079B

DIMENSIONS

H:42" W:12" D:12"

MATERIALS

- Square steel tubing
- Laser cut steel
- 100% recycled cast aluminum
- Etched borosilicate glass diffuser 📀
- Opal white acrylic diffuser

FINISH OPTIONS

Colored powdercoats (shown here with flat black powdercoat)

LAMPING

- м-One 39w metal halide 💿
- F-One 42w fluorescent, triple, 4-PIN, GX24Q-4 base ©
- → F-One 27W GU24 CFL



VOLTAGE

- 120V
- + 277V

FUNCTION

- Exterior
- Commercial
- Retail/hospitality
- Decorative
- Sidewalk or courtyard illumination
- Security



WET LISTED. Approved for use in outdoor locations. ETL conforms to one or all of UL STD 1598, CAN/CSA STD C22.2 NO.250.0

All designs by Eric Kaster and Eleek, Inc. unless otherwise noted. Images not to be used or reproduced without permission.

LINKS PENDANT





TORRE BOLLARD

A flock of sparrows graces this bollard. As lovely as it is strong. A beacon for bird lovers.









PRODUCT NO.

L4071B

DIMENSIONS

H:42" W:II14" D:II14"

MATERIALS

- Steel tubing
- Laser cut steel
- 100% recycled cast aluminum
- Etched borosilicate glass diffuser 💿
- Opal white acrylic diffuser

FINISH OPTIONS

Colored powdercoats (shown here in gray powdercoat)





- м-One 39w metal halide 🕟
- F-One 42w fluorescent, triple, 4-PIN, GX24Q-4 base



VOLTAGE

- 120V
- + 277V

FUNCTION

- Exterior
- Commercial
- Retail/hospitality
- Decorative
- Sidewalk or courtyard illumination
- Security



DOWNLOADABLE SPEC SHEET

WET LISTED. Approved for use in outdoor locations. ETL conforms to one or all of UL STD 1598, CAN/CSA STD C22.2

All designs by Eric Kaster and Eleek, Inc. unless otherwise noted. Images not to be used or reproduced without permission.





NIGHTCAP BOLLARD

Cute and cuddly compared to its big brother, the Nightcap lamppost, Nightcap is the latest addition to the Eleek bollard collection.











PRODUCT NO.

L5I20B

DIMENSIONS


н:40" tube ø:6" base ø:11"

MATERIALS

- 100% recycled cast aluminum
- Steel tubing
- Opal acrylic diffuser

FINISH OPTIONS

Colored powdercoats (shown here with black powdercoat)





- F-One 42w fluorescent, triple, 4-PIN, GX24Q-4 base 💿
- + F−One 27W GU24 CFL

S ELEEK LAMPING GUIDE



- + 120V
- 277V (4-PIN ONLY)

FUNCTION

- Exterior
- Commercial
- Retail/hospitality
- Decorative
- Sidewalk or courtyard illumination
- Security



DOWNLOADABLE SPEC SHEET

WET LISTED. Approved for use in outdoor locations. ETL conforms to one or all of UL STD 1598, CAN/CSA STD C22.2

All designs by Eric Kaster and Eleek, Inc. unless otherwise noted. Images not to be used or reproduced without permission.

LINKS **PENDANT** **CHANDELIER**

SCONCE + VANITY

CEILING + MOUNT

TABLE + FLOOR

BOLLARD

PIER + CUPOLA



NIGHTCAP LAMPPOST

Like its diminutive sidekick the Nightcap bollard, this towering lamppost offers energy savings and classic good looks.







PRODUCT NO.

L5I2IB

DIMENSIONS

H:16' tube Ø:8" base Ø:15"

MATERIALS

- Steel tube
- 100% recycled cast steel base
- 100% recycled cast aluminum
- Acrylic diffuser
- Spun steel cap

FINISH OPTIONS

- Galvanized steel (shown) ©
- Colored powdercoats

LAMPING =====

• F-Four 32W T8 fluorescent

VOLTAGE

- 120V
- + 277V

FUNCTION

- Exterior
- Commercial
- Retail/hospitality
- Security





DOWNLOADABLE SPEC SHEET

WET LISTED. Approved for use in outdoor locations. ETL conforms to one or all of UL STD 1598, CAN/CSA STD C22.2 NO.250.0

All designs by Eric Kaster and Eleek, Inc. unless otherwise noted. Images not to be used or reproduced without permission.






RIBCAGE BOLLARD

A light sculpture created with several cast pieces and lit from within. A conversation piece to say

the least!









PRODUCT NO.

LIOOIB

DIMENSIONS

- + H:24" W:12" D:10" ©
- + H:36" W:12" D:10"

MATERIALS

- 100% recycled cast aluminum @
- 90% recycled cast bronze

FINISH OPTIONS

- Natural aluminum with smooth River Rock finish (shown)
- Colored powdercoats available







- F-Two 24w fluorescent, twin tube, 2GII base
- L-34W LED



VOLTAGE

- + 120V
- + 277V

FUNCTION

- Interior/exterior
- Commercial/residential
- Retail/hospitality
- Light sculpture



DOWNLOADABLE SPEC SHEET

WET LISTED. Approved for use in outdoor locations. ETL conforms to one or all of UL STD 1598, CAN/CSA STD C22.2

All designs by Eric Kaster and Eleek, Inc. unless otherwise noted. Images not to be used or reproduced without permission.

LINKS

PENDANT

CHANDELIER

SCONCE + VANITY

CEILING + MOUNT

TABLE + FLOOR

BOLLARD


PIER + CUPOLA





LIZA PIER MOUNT

This tower of louvered light would make a gorgeous building in itself (if it were much, much larger of course!).







PRODUCT NO.

L3015B

DIMENSIONS

H:53" W:20" D:20"

MATERIALS

- 100% recycled cast aluminum
- Laser cut aluminum
- Opal acrylic diffuser

FINISH OPTIONS

- Natural aluminum with smooth *River Rock* finish
- Optional Artist Patinas or colored powdercoats available

LAMPING =====

• F-Four 54W T5 fluorescent

VOLTAGE

- 120V
- 277V

FUNCTION

- Exterior
- Commercial/residential
- Retail/hospitality
- Decorative lighting
- Light sculpture
- Deck and pier lighting
- Sidewalk illumination



DOWNLOADABLE SPEC SHEET

WET LISTED. Approved for use in outdoor locations. ETL conforms to one or all of UL STD 1598, CAN/CSA STD C22.2 NO.250.0

All designs by Eric Kaster and Eleek, Inc. unless otherwise noted. Images not to be used or reproduced without permission.





PINNACLE PIER MOUNT

The perfect topper for your tower or cap for your castle, this large and lovely cupola will draw all eyes upward.









PRODUCT NO.

L5126B

DIMENSIONS

H:30" W:36" D:36"

MATERIALS

- + Fabricated steel @
- Fabricated copper
- Fabricated aluminum
- Opal acrylic diffuser

FINISH OPTIONS

• Artist Patinas or colored powdercoats available

- F-Two 32w fluorescent, triple, 4-PIN, GX24Q-4 base ©
- As specified



VOLTAGE

- 120V
- ◆ 277V

FUNCTION

- Exterior
- Commercial/residential
- Retail/hospitality
- Decorative lighting
- Rooftop cupola
- Surface mount lighting



DOWNLOADABLE SPEC SHEET

WET LISTED. Approved for use in outdoor locations. ETL conforms to one or all of UL STD 1598, CAN/CSA STD C22.2 NO.250.0


All designs by Eric Kaster and Eleek, Inc. unless otherwise noted. Images not to be used or reproduced without permission.

LINKS PENDANT CHANDELIER SCONCE + VANITY CEILING + MOUNT TABLE + FLOOR BOLLARD PIER + CUPOLA

PENDANT CANOPY OPTIONS








KISS CAST CANOPY

Aluminum Bronze
Ø:53/8" H:25/8"

Natural River Rock finish shown
Other finishes available.






POD CAST CANOPY

Aluminum Bronze
ø:6" H:2½"

Natural River Rock finish shown
Other finishes available.






SPOUT CAST CANOPY

Aluminum Bronze
ø:6" H:2 1/5"
Natural River Rock finish shown
Other finishes available.





FLAT CAST CANOPY

Aluminum Bronze

ø:53/8" H:11/4"

Natural River Rock finish shown

Other finishes available.






CLASSIC CAST CANOPY

Aluminum © Bronze
ø:5½" H:2½"

Natural *River Rock* finish shown
Other finishes available.





SIMPLE SPUN CANOPY

Stainless Steel ø:5" H:5%" Natural *River Rock* finish shown Other finishes available.

LIGHTING RESTORATION


Given our expertise in building light fixtures using time-tested materials and techniques, it was a given that sooner or later we would be asked to restore light fixtures of historic value. We have the ability to do large-scale full-service restoration (see the PORTLAND ART MUSEUM case study for a good example of what this means), going far beyond just cleaning and rewiring.

OUR CAPABILITIES AND EXPERIENCE:

- Conducting research as needed to assure historic accuracy of restoration (or replication)
- Disassembling and cleaning all parts
- Stripping paint and old finishes from metal pieces
- Duplicating missing components
- Refinishing metal parts
- Replacing missing glass globes and panels, etched glass and art glass
- Replacing all electrical components, rewiring
- ETL listing / UL 1598
- Replace lamping bases with CFL pin bases or hardwired LED lamping in order to save energy, carbon and money over time. In order to make lamping comparisons, please see

ELEEK'S LAMPING GUIDE

- Reassembling and testing
- Creating archival drawings





HOTEL DELUXE

Eleek restored these antique crystal chandeliers for Portland's Hotel DeLuxe, bringing back their original sparkle and outfitting them with UL certified components.

PORTLAND ART MUSEUM CASE STUDY





In 1991, The Portland Art Museum acquired the Masonic Temple of Portland, an 80-year-old structure adjacent to its campus in Portland, Oregon's downtown Cultural District. Its restoration was the culmination of a 10 year, \$125 million master plan for the Museum's revitalization and development. Prior to its renovation, the "North Building" was full of light fixtures of unknown origin. Although deemed to be historically valuable, there was no existing documentation as to who made them, where or when. Neither were there photographs showing what they had looked like originally. Since many of them were missing all of their glass globes, this created an interesting challenge!

This lighting restoration project included luminaires ranging from small single-lamp sconces to chandeliers five feet in diameter, from freestanding torchiers to large exterior sconces. The fixtures, reflecting a wide range of materials and manufacturing techniques, were in very poor condition, many of them coated in paint and not functioning.

THE RESTORATION

We handled these delicate fixtures with kid gloves through the following steps:

- Created archival drawings of each fixture style so that any future restoration work can be done to current specifications.
- Conducted careful research to insure historical accuracy.
- Disassembled and cleaned all parts, stripping paint and old finishes as needed.
- Duplicated missing metal pieces by making molds from existing pieces and casting new parts.
- Refinished all parts, using historically accurate

- patinas and protective coatings.
- Replaced missing glass globes and panels, etched glass and art glass with historically correct replacements, building and utilizing adaptors as needed.
- Replaced all electrical components and wiring.
- Reassembled and tested each fixture.
- Listed each fixture for ETL compliance (using UL specifications).




GOTHIC PENDANT

All parts were stripped down to bare metal and refinished with a historically accurate finish.

All electrical components were replaced to comply with UL specifications (below top shows lamp testing). Historically accurate glass globes and tassels were sourced and replaced.








Archival drawing created by Eleek

FIVE-LAMP CEILING FIXTURE

All parts were stripped down to bare metal and refinished with a historically accurate finish. All electrical components were replaced to comply with UL specifications.





CAST METAL SINKS



Eleek's cast metal sinks are innovative and timelessly beautiful. Cast from 90% recycled bronze, they are exquisite heirloom-quality pieces built to stand the test of time. Each Eleek sink is a single sand casting with its own subtle, unique markings—birthmarks if you will—which document its authenticity and character.







FARMHOUSE

The last kitchen sink you will ever need. You will bequeath it to your grandchildren. They will bequeath it to theirs. It's planned non-obsolescence. Everything about this sink feels substantial, grounded and authentic. It's an object so durable and functional that it makes recyclability a non-issue (but of course it is recyclable).







PRODUCT NO.

s6000B

DIMENSIONS

H:9¾" W:37¼" D:18¼" Drain Ø:3 ½"

MATERIALS

• 90% recycled cast silicon bronze

FINISH OPTIONS

- Bronze with smooth, raw finish
- Optional Artist Patinas (choose from oilrubbed bronze [shown], Golden Amber or Masala Red)

OPTIONAL DRAINBOARD

s6000DB



DOWNLOADABLE SPEC SHEET

Sinks may vary in size by $\frac{1}{8}$ " in any dimension. Do not cut holes without a template (available from your retailer or directly from Eleek, Inc.)





WATERFALLING

Highly functional with graceful lines and curves, the Waterfalling prep/bar sink is an indispensably useful and beautiful addition to any kitchen island or bar (and it doubles nicely as a conversation piece).







PRODUCT NO.

SIOOOB

This unique design features a double-sided sink with a built-in colander. The strainer side sits slightly higher than the drain side, perfect for holding ice or washing produce... or for simply watching the water fall.

DIMENSIONS

- + H:7¹/₄" W:18⁷/₈" D:12⁷/₁₆"
- Drain Ø:11/4" @ 31/2"

MATERIALS

• 90% recycled cast silicon bronze

FINISH OPTIONS

- Bronze with smooth, raw finish
- Optional Artist Patinas (choose from oilrubbed bronze, Golden Amber or Masala Red)

DOWNLOADABLE SPEC SHEET

Sinks may vary in size by 1/8" in any dimension. Do not cut holes without a template (available from your retailer or directly from Eleek, Inc.)





ELLIPSE

This unusually shaped sink is another variation of Eleek's two-sided colander sink. Unlike its ilk, however, the Ellipse achieves its strainer effect with a slotted floor on the high side—perfect for washing produce or holding ice. The drain side is flat for stacking glasses. This sink is a stylish addition for a bar or in a small or galley kitchen.







PRODUCT NO.

S4000B

DIMENSIONS

- + H:83/8" W:24" D:157/8"
- Drain ø:3½"

MATERIALS

• 90% recycled cast silicon bronze

FINISH OPTIONS

- Bronze with smooth, raw finish
- Optional Artist Patinas (choose from oilrubbed bronze, Golden Amber or Masala Red)

DOWNLOADABLE SPEC SHEET

Sinks may vary in size by 1/8" in any dimension. Do not cut holes without a template (available from your retailer or directly from Eleek, Inc.)





BOWTIE

Modern art for your kitchen—a generously sized prep/bar sink or a main sink for a small kitchen. Special design features a built-in colander, perfect for holding ice or washing produce.







PRODUCT NO.

+ S5000B

DIMENSIONS

- + H:8 7/16" W:251/16" D:169/16"
- Drain ø:3½"

MATERIALS

• 90% recycled cast silicon bronze

FINISH OPTIONS

- Bronze with smooth, raw finish
- Optional Artist Patinas (choose from oilrubbed bronze, Golden Amber or Masala Red)

DOWNLOADABLE SPEC SHEET


Sinks may vary in size by 1/8" in any dimension. Do not cut holes without a template (available from your retailer or directly from Eleek, Inc.)





ZAZEN

Pure and simple, a graceful bowl of perfect proportions. As a vessel, it sits up on its own four feet, displaying the subtle rustic details of its underbelly. Can also be top-mounted.







PRODUCT NO.

S2000B

DIMENSIONS

- + H:5³/₈" Ø:16⊠16"
- Drain ø:1¼"

MATERIALS

• 90% recycled cast silicon bronze

FINISH OPTIONS

- Bronze with smooth, raw finish
- Optional Artist Patinas (choose from oilrubbed bronze [shown], Golden Amber or Masala Red)

DOWNLOADABLE SPEC SHEET

Sinks may vary in size by 1/8" in any dimension. Do not cut holes without a template (available from your retailer or directly from Eleek, Inc.)





KIDNEY

The Eleek Kidney sink—animal, mineral or vegetable? No bigger than a breadbox and as elegant as a bean could be, it sits up on its own four feet, gently curving toward the user on either side. Also lovely top-mounted.





PRODUCT NO.

S3000B

DIMENSIONS

- Exterior: H:5⁵/16" W:22" D:13¹/₄"
- Interior: H:4" W:17" D:8"
- Drain ø:1½"

MATERIALS

• 90% recycled cast silicon bronze

FINISH OPTIONS

- Bronze with smooth, raw finish
- Optional Artist Patinas (choose from oilrubbed bronze, Golden Amber or Masala Red)

DOWNLOADABLE SPEC SHEET

Sinks may vary in size by 1/8" in any dimension. Do not cut holes without a template (available from your retailer or directly from Eleek, Inc.)

HARDWARE + SIGNAGE

Eleek's hardware and signage lines offer intricate details, compelling designs and durable construction. All pieces are manufactured and finished by hand in Portland, Oregon. Pewter pieces are lead-free and are cast and finished in-house using 100% renewable electricity from Pacific Power. Our line of Victorianera restoration pieces offer unusually fine detail and quality, comparable to the original pieces from which we made the molds. Our original lines offer unique design and high recycled content. Our signage line offers numbering for houses and doors as well as informational signage.







ART DECO DOOR HANDLE

Cast as a single, solid sand casting. Smooth, substantial and beautifully authentic to the hand and the eye. This piece makes your first handshake with a building unforgettable.





PRODUCT NO.

HDH32

DIMENSIONS

H: 23¹/₄" W:2³/₈" D:2⁷/₈"

MATERIALS

- 100% recycled cast aluminum @
- 90% recycled cast bronze

FINISH OPTIONS

- Natural aluminum with smooth River Rock finish and clear powdercoat
- Bronze with smooth, raw finish
- Optional Artist Patinas (including oil-rubbed bronze) and colored powdercoats available





ART NOUVEAU DOOR HANDLE

At over three feet high, these stunning door pulls create a magnificent first impression for your guests. Opening the door is like grasping a wizard's staff. "Speak *friend* and enter." Each is a solid sand casting featuring organic lines and details. Order left or right (or both for double doors).





PRODUCT NO.

HDH22

DIMENSIONS

H: 38" W: 4¾" D: 4½"

MATERIALS

100% recycled cast aluminum © 90% recycled cast bronze

FINISH OPTIONS

- Natural aluminum with smooth River Rock finish and clear powdercoat
- Bronze with smooth, raw finish
- Optional Artist Patinas (including oilrubbed bronze, shown) and colored powdercoats available

HANDLES, KNOBS + PULLS









SCROLL SASH LIFT

HSL02P H:1⁵8" W:2" D:⁷8" pewter



WINDSOR SQUARE SMALL BIN PULL

HBP08P H:1½" W:2¼" D:¾" pewter



WINDSOR BIN PULL

HBP02P H:1¹/₈" W:3¹/₄" D:⁷/₈" pewter



WINDSOR SQUARE

BIN PULL

HBP03P

H:1½" W:3½" D:¾"

pewter

HANDLES, KNOBS + PULLS (BRONZE RESTORATION + WAVE)





VICTORIAN CUP PULL

нвро5в H:1¹/₄" W:3³/₄" D:⁵/₈" bronze





HBP02B H:11/8" W:31/4" D:7/8" BRONZE



VICTORIAN SASH LIFT

HSLO4B H:11/4" W:11/2" D:7/8" bronze



WOLF/DRAGON PULL

НВРО4В H:1¹/₄" W:3 ³/₄" D:³/₄" bronze



EASTLAKE SASH LIFT

HSLO3B H:1¼" W:1½" D:%" bronze



ARTS KNOB

HKNO2B Ø:11/8" D:7/8" bronze



KNOB WITH BACKPLATE

HKNO3B H:1¼" W:2" D:1" bronze



WAVE 1-FINGER HIDDEN MOUNT

HDP05P H:1½" W:1¾" D:¾" pewter



WAVE 1-FINGER SURFACE MOUNT

нрробр H:13/8" W:21/2" D:3/4" pewter



WAVE 2-FINGER SURFACE MOUNT

HDP03P H:1½" W:3¼" D:¾" pewter



WAVE 3-FINGER SURFACE MOUNT

HDP02P H:1½" W:4¼" D:¾" pewter



TIDAL WAVE RAISED MOUNT

HDPOIP H:1½" W:4½" D%" pewter



BULLET 1-FINGER HIDDEN MOUNT

HDP04P H:2¹/₄" W:1³/₈" D:³/₄" pewter

MASA COLLECTION



Eleek's beautiful collection of recycled cabinet hardware is named Masa (after our favorite Portland sushi chef). These original pieces have a sparse, modern look, but also embody the formal sensibilities of classic Japanese design.

The Masa line is made of 100% post-consumer recycled aluminum sourced locally from The ReBuilding Center, a building material reuse non-profit located less than a mile from Eleek's North Portland shop. Using locally sourced scrap dramatically shrinks the carbon footprint of this product. Also available in 90% recycled bronze. Optional Artist Patinas available (see FINISHES AND CARE).



POKURRI PULL

HDP13A (aluminum) ©
HDP13B (bronze)
H:½" W:2¾" D:1½"
Vintage Silver Artist Patina shown



KOPPORI PULL

HDP14A (aluminum) ©

HDP14B (bronze)

H:½" W:2¾" D:1½"

Masala Red Artist Patina shown



OBI PULL

HDP09A (aluminum) OR
HDP09B (bronze)
H:5%" W:4½" D:¾"
River Rock finish shown



OBIKO PULL

HDP15A (aluminum)
HDP15B (bronze)

H:5%" W:27%" D:7%"

Golden Amber Artist Patina shown



MASAKO PULL

HDPIIA (aluminum) ©

HDPIIB (bronze)

H:1½" W:2 ¼" D:1½"

Vintage Silver Artist Patina shown



MASA-SAN PULL

HDP07A (aluminum) ©R
HDP07B (bronze)
H:2½" W:4½" D:1½6"

Vintage Silver Artist Patina shown



GETAKO

PULL

ндр12A (aluminum) о
ндр12B (bronze)
н:½" w:3%" д:1¼"
Antique Black Artist Patina shown



ZORI PULL

HDPIOA (aluminum) © HDPIOB (bronze)
H:I" W:458" D:I"

River Rock finish shown



Masala Red Artist Patina shown



Decorative and functional, Eleek's asian-inspired trays are available in 100% recycled cast aluminum or 90% recycled cast bronze. These trays make perfect serving dishes. They also work well for soap, keys, or trinkets. Optional Artist Patinas are available (see FINISHES AND CARE).



LARGE TRAY

HTROIA (aluminum) © HTROIB (bronze)
H:2½" W:7½"
River Rock finish shown



MEDIUM TRAY

нтко2A (aluminum) ов нтко2в (bronze) н:2½6" w:6" Golden Amber Artist Patina shown



SMALL TRAY

HTR03A (aluminum) © HTR03B (bronze)
H: 78" W: 2716"
Raw Bronze shown



DYNASTY ONE SWITCH HSP03P • H:47/8" W:31/2" D:1/4" pewter



DYNASTY TWO SWITCH HSP04P • H:478" W:538" D:14" pewter



DYNASTY DECOR ONE SWITCH HSPIOP • H: 5³/₄" W: 4" D: ¹/₄"

pewter



TWO SWITCH HSPIIP • H:5³/₄" W:5⁵/₆" D:¹/₄" pewter

DYNASTY DECOR



ONE SWITCH HSP06P • H:4³/₄" W:3³/₈" D:¹/₄" pewter

VICTORIAN COLLAGE



LATTICE **ONE SWITCH** HSP05P • H:4³/₄" W:3 7/₈" D:¹/₄" pewter



PUSHBUTTON PLATE HSP08P • H:4³/₄" W:3¹/₈" D:³/₈" pewter



ONE SWITCH HSP09P • H:6¾" W:3¾" D:9/16" pewter



CROSSHATCH CIRCLE ONE SWITCH

HSPOIP • H:5¹/₄" W:5³/₈" D:¹/₄" pewter



CROSSHATCH CIRCLE TWO SWITCH HSP02P • H:51/8" W:71/8" d:1/4"

pewter



CLOUD ONE SWITCH HSP07P • H:4½" W:45/8" D:1/4" pewter























MACKINTOSH NUMBERS

нмкоор through нмкоор н:3¹/₈" w:2" D:³/₈" stainless steel

Eleek numbers come with a double rail mounting bracket. The bracket raises the numbers 9/16" off the surface its is being mounted to.

WE ALSO OFFER THE FOLLOWING CAST PEWTER PLAQUES:

- concierge
- electrical
- fire comm.
- mechanical
- restroom
- stair
- storage
- trash

PLEASE CALL FOR CUSTOM SIGNAGE OPTIONS.







RECYCLED CAST METAL TILES

E

Eleek's cast metal tiles are made from recycled aluminum (100% recycled, with 70—100% post-consumer content) or bronze (at least 90% recycled and at least half of that post-consumer material).

Smooth to the touch, solid and strong yet light and organic in look and feel, Eleek's aluminum tile is softly speckled like river rock. Bold and luminous, Eleek's bronze tile is a timeless statement. Whichever you choose, you will thrill to the authenticity of your tiles every day. Keep in mind that each tile is a unique sand casting. Expect slight variations in size and flatness. The spaces in between will be more wabi-sabi than square and that's just how we like it.

We ship them finished with a simple paste wax which protects them from moisture without impeding their simple, natural beauty. We do not recommend these tiles for kitchen countertops or work surfaces. If there will be moisture where you install them, we recommend that you rewax them occasionally.



BRONZE + ALUMINUM TILE




STANDARD CAST TILE

Eleek cast metal tiles come in five standard sizes as shown. The tiles can be used indoors or outdoors—any place free from standing water or constant moisture. We do not recommend these tiles for kitchen countertops or work surfaces. Decorative Pyramid 4 3/8" tiles are also available (see opposite top).

The tiles are 5/16" thick, including a corrugated backing that is a part of the casting (lending structural integrity and better adhesion).

CUSTOM EXTRUDED ALUMINUM TILE

Eleek also offers extruded aluminum tiles in specifiable sizes and in quantity. These are similar to our cast tiles but with sharper edges and no corrugated backing. Call to inquire.





ALUMINUM TILE





2" FRONT/BACK + PYRAMID TILE WITH RIVER ROCK FINISH

BRONZE TILE





2" FRONT/BACK WITH RAW FINISH

ELEEK TILE GUIDE

ELEEK TILE GUIDE



INSTALLATION INSTRUCTIONS

Our general installation recommendations are only a guide. Each situation will vary. Please consult a tile professional for more detailed specifications and carefully follow product installation instructions.

SUITABILITY

Eleek cast metal tiles may be used in interior or exterior installations with the following exceptions. Because aluminum contracts and expands minutely when subjected to heat and cold, we do not recommend using Eleek tile products in installations where the tiles will be subjected to freezing temperatures and/or to temperatures over 120°f, nor do we recommend them where there will be standing water or constant moisture. Please do not cut on them.

SUBSTRATES

Eleek cast metal tiles may be installed on any stable substrate such as plywood, rock board or tile backer. For best results, do not install directly to drywall.

SETTING MATERIALS

Use mastic (thinset) to apply to rock board or tile backer. Use construction adhesive to apply to wood. Spread the setting material on the substrate with a notched trowel following the manufacturer's directions.

SPACING

Leave even spacing between tiles when installing cast tiles. Net installation is only an option with our custom extruded tile only (see below). Tiles may be aligned with spacers to create uniform joints and then allowed to set until firm (see manufacturer's instructions for the specific setting material you are using). Excess setting material must be cleaned from the top surface of the tile while it is still wet and as per manufacturer's directions.

Remove excess setting material from the edges. Install expansion joints where tile abuts restraining surfaces and at the perimeter of the installation.

NET INSTALLATION

For our custom extruded tile, you may choose to install without space between. First lay out tiles to check how all tile edges will come together. Shim as needed to correct any seams that come together unevenly. As you lay each tile with setting material, run a bead of clear silicone along each edge that will contact another tile. Make sure the seal is complete. Install expansion joints as noted in the *Spacing* section above.

CUTTING

All Eleek tile may be cut with a bandsaw, hacksaw, angle grinder or table saw. Tile saws are not recommended. At no time shall the

fingers leave the hand (an official Eleek rule for all employees and customers).

GROUTING

Make sure the setting material has become firmly set before grouting. There are many products that will work for grouting. A sanded grout that we like is TEC® Textured Caulk "Accucolor Siliconized Acrylic Latex Caulk" in Light Pewter or Standard Grey. An unsanded caulk we like is DAP Dynaflex 230 "Premium Elastomeric Latex Sealant" in Aluminum Grey. Note that the sanded caulk looks a little more like standard grout. The DAP® Dynaflex looks more like a standard caulk. Whatever you use, be sure to follow manufacturer's instructions. We recommend that you use a siliconized product for the best stain resistance and lifelong flexibility (to accommodate expansion and contraction over time).

Test carefully for color matching before committing to a particular brand and color. If you use a sanded grout, be careful not to over-apply the grout such that you have to rub the grout over the tiles extensively in order to remove the excess, which could cause surface scratching on the tiles or remove the wax finish.

When you wash the grout from the tiles, use a light touch and lots of clean water. The day after grouting, wash tiles again with clean water



TILE INSTALLATION (CONTINUED)

if needed in order to remove any remaining grout film or haze. Allow the grout to cure as per manufacturer's instructions before cleaning. If you did not use a siliconized grout, we suggest you apply a silicone grout sealant at this point. The last step is to apply a fresh layer of wax to your tiles to protect them over time (see CARE OF FINISHES for instructions).

CLEANING

Clean only as needed with any gentle, nonabrasive cleanser (such as very diluted dish soap) and a soft cloth or non-abrasive sponge. Rinse well with clean water.

MAINTENANCE

Eleek cast metal tiles come with a protective natural wax finish. This finish may need to be reapplied periodically, especially if the tiles are subject to regular use, moisture, weather, etc. It's a quick and easy process. Please see our **CARE OF FINISHES** section.

RECYCLING


Should this love affair ever come to an end, Eleek tiles are 100% recyclable and would also be very much appreciated at your local building materials reuse center (or perhaps you can sell them on Craigslist.org). Removing as much adhesive and grout as possible makes them more recyclable and lovable to the next person. Most recyclers will pay


E you for the aluminum. If you prefer, you can always return any Eleek product to us for recycling.


ORDERING



To learn more about product ordering options please flip through this section or skip ahead using the links on this page. FINISHES + CARE provides a full list of available patinas, powdercoats and glass colors and the ELEEK LAMPING GUIDE provides the information to make an educated decision on which lamping is the best fit for your situation.








CUSTOM FINISHES + CARE



Eleek's unique finishes allow the authentic character of the metal to shine through. Our favorite option for aluminum is the natural, soft finish we call River Rock (pewter grey, subtly speckled, organic, uncommonly beautiful). If you prefer to add color to that, we recommend our custom Artist Patinas—organic earthy hues applied by hand and torch.

Bronze is also beautiful in its raw form (finished to a smooth touch). Leave it to develop its own natural patina over time or choose from our custom Artist Patinas.

All Eleek pieces receive a final clear coat (wax, lacquer or occasionally powdercoat). There are pros and cons to each and we are happy to explain them to you. Mostly, we recommend wax if you are willing to commit to a routine maintenance routine. In some cases, a clear powdercoat finish may be the best choice (although we do not offer it on all products). If you have a preference, please let us know at the time your order is placed.



CHOOSING AN ELEEK FINISH



CHOOSING AN ELEEK FINISH

It's alive! A living finish is so called because it will evolve over time. Variables that will affect the way it changes include climate, exposure, handling, cleaning and waxing. Time may affect the color, sheen and even texture of the patina. Regular maintenance over time—including cleaning and application of clear paste wax—can control these changes to a large extent. It is fairly easy to strip and refinish these pieces if necessary. Living patinas are not covered by Eleek's limited lifetime warranty and are not appropriate for aluminum pieces that will be used in wet or action locations. A powdercoat is a durable, permanent polyester coating applied thermostatically (as a powder, without solvents) and then cured in a hot kiln. It is non-toxic and easy to care for. It offers heat resistance up to 300°F and doesn't fingerprint. While it doesn't scratch easily like stainless, it can be scratched or gouged if mistreated. Powdercoat finishes are warranted by Eleek against defects in manufacturing and materials for a period of one year.

NATURAL RIVER ROCK ALUMINUM

Eleek's natural, recycled aluminum is tumbled to a soft, smooth, speckled finish—pewter gray like river rock and just as peaceful to the eye. Our proprietary finishing process gives resistance to corrosion. We add the protection of a thin wax coating (unless otherwise specified).

CLEARCOAT ON ALUMINUM OR BRONZE

A final clear finish is required for UL certification on aluminum light fixtures that may be exposed to moisture and other conditions commonly found in kitchens, bathrooms and outdoor environments. In that case, we provide a clear, low-gloss, nontoxic (LEED approved) finish that will not interfere with recyclability. If a clearcoat is not required, we generally opt for a clear wax finish. Please let us know if you have a preference.

POWDERCOATED ALUMINUM

Powdercoat finishes offer durability and ease of care by hermetically sealing the metal in a tough, permanent coating. We offer powdercoats in either matte (low-gloss) or flat (no gloss) finishes. Please see our **STANDARD POWDERCOAT OPTIONS** to make your selection. For a custom powdercoat color please inquire with Eleek or your Eleek dealer. We do not offer powdercoats over Artist Patinas.

For maintenance instructions, see **CARE OF FINISHES** section

ARTIST PATINAS ON ALUMINUM OR BRONZE

Eleek's Artist Patinas are applied by hand and torch by an Eleek artisan. Each piece is a unique work of handmade art; therefore, expect slight variations in color and pattern relative to any samples you may have seen. To get pieces to match, they must be patina'd at the same time. Artist Patinas available on aluminum are Vintage Silver, Golden Amber, Masala Red and Antique Black.

To protect the patina, we recommend routine waxing (see **CARE OF FINISHES** section for more information).

RAW BRONZE

Uncoated. Naked as the day it was born. Just soft, smooth, raw bronze. It starts out bright and will develop its own living patina over time, constantly evolving. Applying wax at intervals will preserve the patina or slow its evolution. If you want to start over, a scrubby sponge and a little Bon Ami will usually remove most of the patina. A living patina is a reflection of the life of the object. Use it. Love it. Let it tell its story.

ARTIST PATINAS

ELEEK ARTIST PATINAS





BASE ALUMINUM RIVER ROCK



BASE BRONZE NATURAL RAW

ALUMINUM PATINAS



VINTAGE SILVER



GOLDEN AMBER



MASALA RED



ANTIQUE BLACK

BRONZE PATINAS



OIL-RUBBED



VINTAGE SILVER



GOLDEN AMBER



MASALA RED



ANTIQUE BLACK

POWDERCOATS

STANDARD POWDERCOAT OPTIONS*





TUNGSTEN-BONDED HAF4-C0001



HIGH GLOSS CHROME **GR539**



RAL 9010 49/11500



P2 GLIMMER 49/70190



P3 GLIMMER 49/70200



P7 GLIMMER 49/80190



CHAMPAGNE 303 METALLIC 38/15020



COPPER METALLIC 49/92780



RAL 3003 49/31100



ALIEN SILVER GLOSS PMS-2569



DB 702 FINE TEXTURE GLIMMER 49/70789



US1 FINE TEXTURE GLIMMER 49/70785



RAL 6013 49/52810



GREEN C006-GN03



RAL 5003 49/42230



GLIMMER 49/60731



BROWN C33 ONE COAT 49/66230

E9146



BRONZE C34 ONE COAT 49/66220



T002-WH08

SATIN BLACK

T002-BK08

COPPER ROCK

ULB-1883



TANKER GRAY WRINKLE PWS-2859



DESERT TAUPE PWB-4962

ELEEK GLASS LUSTRES



We offer five rich colors that can be applied to any of our borosilicate glass lenses. A hand-applied and kiln fired process, subtle variations are to be expected (and celebrated!). Shown below are the light base shades shown both clear and etched; we can get more saturated colors by applying additional layers of the lustre (see sconce with saturated goldenrod opposite)—at your request.





GOLDENROD



POWDERCOATED FINISHES

If the final finish of your Eleek product is a powdercoat, you can clean it with any gentle, non-abrasive cleanser—Bon Ami or dish soap, for instance—and a soft cloth or non-abrasive sponge. If it's a scrubbie sponge, make sure it says it is safe for non-stick surfaces or "non-scratching." Rinse well with clean water.

LIVING FINISHES

If the final finish of your piece is wax, you must be more careful with it. Clean with a soft cloth and a gentle, diluted liquid soap—like dish soap—as needed. You will need to replenish this living finish by rewaxing it. How often you need to rewax will depend a lot on how you use it. A sink that gets a lot of use will need to be rewaxed more frequently than a little-used sink. In the beginning, you may want to start by rewaxing your sink every two to four weeks. Beware of strong chemicals. See opposite for waxing instructions.

RAW BRONZE FINISHES

If your bronze is naked as the day it was born, you can do just about anything you want with it. It will patina naturally as you use it. If you are trying to build a natural patina, clean it using the Living Finishes instructions above. If you are trying to keep it new looking, clean it frequently following the Powdercoated Finishes instructions above (hint: you may want to order it with a wax finish). If it gets to a point where you like its patina and want to preserve it, you can coat it with wax and then rewax it occasionally on a regular basis. See opposite for waxing instructions.

WAXING LIVING FINISHES

Any high-quality clear paste wax will work to wax or re-wax your Eleek piece. One which is readily available at grocery stores and hardware stores is Johnson's Wood Floor Care Paste Wax. Your Eleek retailer may sell a comparable "green" product. Before waxing your Eleek sink, first clean it following the instructions above (specific to the type of finish you have) and then dry with a clean, soft, lint-free cloth. Apply wax with a soft cloth until it is coated inside and out, but not so thick that it is visible. Allow to air dry. Gently buff the surface with a soft cloth.



HOW TO ORDER + CONTACTS E



All sales are subject to your acceptance of our

Terms and Conditions of Sale.





CONTACT ELEEK

2326 N Flint Avenue Portland, OR 97227

PHONE 503.232.5526 **FAX** 503.232.5527

EMAIL INFO@ELEEKINC.COM
WEB WWW.ELEEKINC.COM

CONTACT ELEEK RESELLERS

Click one of these weblinks as appropriate:

- 1. ELEEK RETAILERS
- 2. ELEEK TRADE REPRESENTATIVES

LIGHTING

- 1. Download the LIGHTING ORDER FORM.
- 2. Choose your luminaire (aka "fixture" or "light").
- 3. Choose your options. Not all luminaires are offered with all options. Look for the symbol to see if you have choices. Common options are:
- Base material (recycled aluminum, bronze or stainless steel)
- Metal finish (natural River Rock aluminum, Artist Patina, powdercoat, etc.)
- Drop length
- Lens/shade material (glass, mica, plastic, etc.)
- Lens/shade color (white or amber, etc.)
- GLASS LUSTRE (if applicable or desired)
- Lamp base type (incandescent, fluorescent, metal halide, or fit for LED)
- Voltage (120v or 277v)
- CANOPY STYLE. Each pendant has a canopy that comes standard, but you are

welcome to mix and match.

- 4. If you have the choice between two or more lamping options please see ELEEK'S LIGHTING CHART on the following spread.
- 5. PLEASE NOTE: Eleek luminaires do not come with lamping included, except when specified with LED. Read the specifications carefully to make sure you purchase the correct lamps. You may also order your lamping from Eleek directly. Just ask us for pricing when you place your order.
- **6.** Give this information to your retailer or design professional (or use reseller contacts at left).

SINKS

- 1. Download the SINK ORDER FORM.
- **2.** Choose your sink style (Kidney, Zazen, Farmhouse, Waterfalling, Ellipse, etc.).
- **3.** Choose your options. Not all sinks are offered with all options. Look for the symbol to see if you have choices. Common options are:
- Finish (River Rock, Artist Patina, etc.)
- Drain hole diameter
- **4.** Tell us how you plan to mount each sink (under-mount, top-mount, vessel).
- **5.** Give this information to your retailer or design professional (or use reseller contacts at left).

HARDWARE

- 1. Download the HARDWARE ORDER FORM.
- 2. Choose your hardware design(s).
- **3.** Choose your options (if any):
- Base material (pewter, aluminum, bronze, stainless steel, etc.)
- Finish (vintage pewter, natural River Rock

- aluminum, oil-rubbed bronze, etc.)
- Attachment fittings are included. If your project requires a screw length other than 5/8", just let us know.
- **4.** Give this information to your retailer or design professional (or use reseller contacts at left).

TILE

- 1. Download the TILE ORDER FORM.
- 2. Choose your tile size or type and quantity.
- 3. Choose Bronze or Aluminum.
- If Bronze, choose either the Raw or Oil-Rubbed finish.
- **4.** Give this information to your retailer or design professional (or use reseller contacts at left).

IMPORTANT TERMS + CONDITIONS

- A 50% deposit and PO are required to initiate any Eleek job. Balance and S&H are due before the job leaves Eleek.
- All Eleek products are made to order. Custom orders are not cancellable or returnable. Other orders will be considered on a case by case basis and may be subject to restocking fees and/or forfeit of deposit.
- Standard lead time is eight to twelve weeks, which begins from date of deposit and all authorized options specified. Eleek may sometimes be able to accommodate rush orders. Inquire for pricing.
- Eleek asks that all orders meet a \$100 minimum (not including shipping and handling fees). Exceptions will be considered on a case by case basis.
- Please read complete ELEEK TERMS +
 CONDITIONS before placing an order.



Incandescent | E26 Medium & E12 Candelabra Base

This is the traditional "Edison" light bulb. It emits light in a warm, broad spectrum; however, approximately 90% of all the power consumed by an incandescent light bulb is emitted as heat rather than visible light. Some governments are mandating a phase-out or ban of its use. Meanwhile, researchers are working on making it more energy efficient.



=

Halogen | T3 Bi-Pin, G4 Base & MR16, GU5.3 Base

Halogen is a form of incandescent. It has the truest color rendering of any light source other than the sun and is therefore often used to illuminate works of art. In the MR16 format, this long-lasting, low-voltage spot is amplified by an integrated reflector, greatly increasing its apparent efficacy.



Ceramic Metal Halide | E26 Medium Base

Metal Halide is an efficient, high-output lamp commonly used to illuminate large outdoor areas, in part because its output is unaffected by environmental temperature changes. Due to high intensity and slow startup, it is best suited for outdoor and commercial applications. MHs contain mercury, requiring special disposal measures.



Light-Emitting Diodes [LEDs]

LEDs are a very promising technology currently undergoing rapid development. Their warmth and color rendering can be comparable to incandescent in certain applications. Their small size makes them highly versatile. Given their long life, high efficiency and low toxicity, their cost is often justified over time.



CFL [compact fluorescent] Integrated Ballast | GU-24 Pin & E26 Medium Base CFLs use less energy than incandescents and can last up to eight times longer (if not overheated) while generating light that is becoming increasingly comparable. CFLs contain trace amounts of mercury, requiring special disposal measures. The ballast must be discarded along with this type of lamp.



CFL non-integrated Twin & Quad Tube | 2G11 & GX24Q, 2 & 4 Pin Base These CFLs utilize separate, reusable electronic ballasts; they are slightly more efficient and can last longer compared to integrated-ballast CFLs. One ballast will often run multiple wattages and permit dimming. Lamp disposal issues are the same.



High Pressure Sodium (HPS) & White "SON"

These lamps are typically used for streetlights and security lighting, where color rendering is not critical. HPS lamps contain trace amounts of mercury, making disposability an issue, and they decline in lumen output as they age. White "SON" is a higher cost HPS variant with a high CRI but reduced life and efficacy.



The "new and improved" flicker-free fluorescent tube offers good color rendering, long life and low cost. Like all fluorescents, special disposal measures are required due to mercury content.

EELEEK LAMPING COMPARISON CHART

ht ng		ERG vatts	Y OUTP lume	UT EFFIC ns lum per v	ens vatt	CO2 Ibs	CO2: lumen ratio	COST		1000 hrs	1—100	CCT kelvin
		25 40 60	170 495 830	2 7 12 14	3	33 46 78	.194 .105 .093	60¢	1000	\$3.60 \$5.40 \$7.80	100	8 2700
	BI- PIN	20	320	16		26	.081	\$3.30	2000 – 4000	\$3.40	100	2850
	MR-	20 35 50	320 600 900	16 17 18		26 6 5	.081 .077 .072	\$2 \$5 \$10	2000 – 4000	\$3.06 \$5.80 \$9.26	100	2950 – 6000
M	2 H 7 ¹	0	1155 4500 9800	53 64 65	27 91 19	1	.023 .020 .020	\$88 \$32 \$31	12,000	\$9.94 \$11.06 \$20.50	81—96	2900 – 4100+
LED	2 5 10	5	200 500 1000	100* 100* 100*	3 7 13		.015 .014 .013	\$20 \$38 \$80	35,000 – 50,000	\$0.71 \$1.49 \$3.06	40—90	2900 – 6100
CFL	13 18 23	8 1100		65 61 69	17 23 30		.020 .020 .018	\$3 \$4 \$4	10,000	\$1.88 \$2.60 \$3.16	82—90	2700 – 4100
CFL	26 32 36 80	24	300 400 300	69 75 78 75	34 42 47 104		.019 .018 .016 .017	\$7 \$10 \$11 \$28	12,000 – 20,000	\$3.58 \$4.47 \$4.98 \$11.35	82—90	2700 – 6500
 HPS	35 70	22		64 91	46 91		.020	\$24	16,000 24,000	\$5.68 \$9.38	22	1900
SON	50	200 417	00	40 42	65 130		.032	\$80	10,000	\$13.95 \$19.95	85	2500 – 2700
T5	28	2900 3450		104 99	31 70		.015	\$10	25,000 35,000	\$3.68 \$4.52	82—85	3000 – 6500+
T8	17 32	126	50	80 80	22 46		.017	\$5 \$3	20,000 46,000	\$2.18 \$3.91	78—96	3000 – 6500

- Lumens are a measurement of the perceived power of light. All ratings approximate.
 Efficacy = lumens/watts. The higher the number, the more efficient.
 Approximate CO2 emission per 1,000 hours of use assuming coal generated electricity.
- 4 CO2 output per lumen is a finer gauge of sustainability. 5 Costs are collected averages. 6 Includes electricity at national average of 12¢/kwh, and average lamp cost. 7 CRI = Color Rendering Index. 100 = full color range: incandescent.
- 8 CCT = Correlated Color Temperature in degrees Kelvin. Low temps are "warm" colors, high: "cool". *Actual efficacies measured in application are generally between 40—60. This is rapidly improving.

For resources, references and more, go to http://www.eleek.com/lampguide.html

ELEEK, INC. SALES POLICY TERMS + CONDITIONS



DEFINITIONS: "Eleek" means Eleek, Inc.
"Purchaser" means the company or individual
that submits a purchase order to Eleek. "Order"
means a purchase order for Product that
Purchaser submits to Eleek and that Eleek
accepts, as modified by these Terms. "Product"
means the goods described in the Order.
"Terms" means these Terms and Conditions
of Sale. "Intellectual Property Rights" means
unpatented inventions, patent applications,
patents, design rights, copyrights, moral rights,
trademarks, domain names, trade secret rights
and any other intellectual property rights.

ACCEPTANCE OF PURCHASE

ORDERS: MINIMUM ORDERS: Eleek's acceptance of a purchase order submitted by Purchaser is expressly conditioned on Purchaser's agreement that these Terms (a) will govern that purchase order; (b) will take precedence over any conflicting provisions in that purchase order and in any of Purchaser's other documents; and (c) will supersede all prior gareements, whether express, implied, written or oral. Eleek may accept Purchaser's purchase order in writing or by beginning production. Eleek may accept any purchase order, and rely on any other written or telephonic request or notice, that Eleek in good faith believes to have been submitted or made by an employee or authorized agent of Purchaser. Eleek reserves the right to refuse any order for any reason. All orders must meet a \$100 minimum, exclusive of shipping and handling. Applied finish upcharges (Artist Patinas and powdercoats) must also meet a separate minimum of \$50 per color and per order.

ORDER DEPOSITS; PAYMENT TERMS; LATE FEES; ATTORNEY FEES; COLLECTION COSTS AND SECURITY

INTEREST: Purchaser will deliver to Eleek a deposit of 50% of the price of the Product (the "Order Deposit") either (a) at the time Purchaser submits the purchase order for that Product; or (b) in the case of custom Product, upon Purchaser's receipt of notice that Eleek

has approved the design drawing(s) for that Product. Eleek will invoice Purchaser for the balance of the purchase price (final 50% plus Shipping & Handling if applicable) on completion of manufacture. Eleek must receive payment of that invoice before shipment. If Purchaser fails to pay that invoice when due, or if Purchaser pays that invoice but asks Eleek to delay delivery of the Product, Purchaser will also pay a fee of \$10 per day plus any storage charges until Eleek delivers the Product, which must be paid before Eleek delivers the Product. Past due accounts will incur a late fee of 1.5% per month (18% per year) or the maximum rate permitted by law, whichever is lower. Purchaser will reimburse Eleek for all costs and expenses it may incur in connection with collection of the price of the Product and any charges, tariffs, duties or taxes payable by Purchaser under these Terms, including, without limitation, reasonable attorney fees and expenses, court costs and cost of collection agencies. Purchaser grants Eleek a security interest in the Products and all raw materials identified to the Order to secure Purchaser's obligations under that Order.

DESIGN DEPOSITS AND APPROVALS

FOR CUSTOM ORDERS: In addition to the Order Deposit, Purchaser will deliver to Eleek for each custom Product, a \$1,000 non-refundable deposit for each custom design drawing (a) to be prepared by Eleek. Design deposits will be credited to the final payment. Eleek will not begin production of any custom Product until both Purchaser and Eleek have approved the design drawings in writing. Due to the nature of custom fabrication, fixtures may vary slightly from drawings with regard to fasteners and assembly. If Eleek determines in its discretion that any major design changes are necessary, Eleek will notify the Purchaser in advance.

CHANGE ORDERS: If Purchaser requests a change to the Order or to an approved design drawing, and Eleek in its sole discretion accepts that change in writing, Eleek will make that change, and Purchaser will pay Eleek (a) a change order fee of 10% of the

value of that Order; plus (b) any increase in labor and materials specified in Eleek's written acceptance of that request.

QUOTES; PRICES; TAXES: If Eleek provides a written quote for Eleek's standard Products, the prices in that quote will be valid for 30 days from the date of that quote. If Eleek provides a written quote for custom Products, the prices in that quote will be valid for 60 days from the date of that auote except in the case of custom lighting Products, wherein the quote will be valid for 180 days. In all other cases, prices for Products are subject to change without notice, and Products will be sold at the prices prevailing at the time. If the cost of labor or any raw material increases by more than 3% from the date of the quote or Order, the price of the Product described in that quote or Order will increase by that percentage. Purchaser will pay this additional amount within five days after receiving written notice from Eleek. Additionally, prices set forth in any quote, price list, response, communication, other document, or Order do not include transportation charges, tariffs, duties or taxes, and Purchaser will pay those charges, tariffs, duties and taxes, if any. Lamps are not included with Eleek lighting orders, except in the case of hardwired LED fixtures.

LEAD TIMES: Eleek products are manufactured to order by hand in Portland, Oregon, USA. Quoted lead times are based on current availability of labor and materials and commence at the time Purchaser's order and deposit are received. Standard lead times for non-custom products are typically, but not guaranteed to be, 8-12 weeks. Lead times for custom orders will be quoted with pricing, or at the time deposit and design approval are received. Rush orders, when possible, will be negotiated and priced on a case-by-case basis.

CANCELLATIONS: If Purchaser cancels an Order, Purchaser will pay Eleek a restocking fee equal to 25% of the price of that Product and in addition will forfeit, and Eleek may retain, the Order Deposit. To the extent Purchaser cancels an Order that includes any custom Products, Purchaser will, in addition to the preceding, (a)

forfeit the design deposit(s) described above; and (b) pay Eleek for all work completed through the cancellation date in excess of the Order Deposit and design deposit(s). Eleek may cancel an Order if Purchaser is delinquent in the payment of any other Order, if Purchaser's acts or omissions have delayed Eleek's performance of an Order, if Purchaser is the subject of any bankruptcy or other debtor relief proceeding, or if Eleek otherwise in good faith believes that Purchaser's ability to perform its obligations under these Term is impaired.

RETURNS: Purchaser may not return the Product except as expressly permitted below in the section entitled, "Limited Remedy".

PACKAGING; SHIPPING; DELIVERY;

RISK OF LOSS: Unless shipping and handling (including crating and insurance) charges are expressly included in a quote and the corresponding invoices, they will be charged separately to the Purchaser, payable before the Product leaves the factory. Once the product is fully paid for by the Purchaser, the Purchaser will own the product. Upon shipment, Purchaser will bear the risk of loss and damage in transfer, regardless of which party pays for or arranges for carriage, and regardless of which party coordinates with the carrier regarding damages. If Eleek arranges for carriage, Eleek may elect at its sole discretion to either 1) submit all claims for damage to the responsible carrier and collect and distribute any insurance reimbursement on behalf of Purchaser or 2) sign over claim to Purchaser for direct negotiation and reimbursement. If Eleek chooses to coordinate the claim. Purchaser will fulfill all responsibilities related to opening and inspecting within the designated amount of time (typically five [5] days) and cooperating with the carrier's investigation and needs for evidence. If the Purchaser arranges for their own carriage, the Purchaser will submit all claims for damage to the responsible carrier; Eleek will endeavor to make the Product available to Purchaser for





delivery to the carrier by the date set forth in the Order. [However, if Eleek is unable to do so, Eleek will not be in breach of the Order unless Eleek receives written notice from Purchaser that time is of the essence, that Eleek has not delivered the Product by the date specified in the Order and that Eleek must deliver the Product to the carrier within 30 days following the date of that notice or such longer time as is reasonable under the circumstances.].

INSPECTION; CLAIMS: Purchaser will thoroughly and carefully inspect the Product immediately upon receipt and prior to installation. Eleek will not be liable for shortages or defective Product unless Purchaser gives Eleek written notice specifying in detail the nature and extent of the shortage or defect within five business days from the date of delivery.

INTELLECTUAL PROPERTY: Purchaser or its licensors will own the Intellectual Property Rights in and to the drawings and designs created by or on behalf of Purchaser that Purchaser delivers to Eleek (the "Purchaser Intellectual Property"). Eleek will own the Intellectual Property Rights in and to the drawings and designs created by Eleek or its licensors, including any custom drawings and designs paid for by Purchaser, and any modifications or improvements that Eleek makes to any of the Purchaser Intellectual Property (the "Eleek Intellectual Property"). Purchaser grants to Eleek and its subcontractors a non-exclusive, perpetual, royalty-fee license to (a) import, make, copy, modify, and otherwise use the Purchaser Intellectual Property; and (b) to photograph and publish photographs of the Product sold pursuant to the Order, including photographs of the final installation of the Product. Except as expressly provided in these Terms, neither party has the right to use the other party's Intellectual Property Rights.

LIMITED WARRANTY: Eleek warrants only to Purchaser (a) that upon delivery of the Product to Purchaser, the Product will conform to the product descriptions in the Order and will be free from material defects in workmanship and material, subject to the tolerances and variations customary in those products that exhibit natural, expected surface irregularities, and (b) title. THIS LIMITED WARRANTY IS

EXCLUSIVE AND IN LIEU OF ALL OTHER WARRANTIES. WHETHER STATUTORY, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR USE, NON INFRINGEMENT, AND WARRANTIES ARISING FROM COURSE OF DEALING, COURSE OF PERFORMANCE OR USAGE OF TRADE. This limited warranty may not be modified or expanded unless otherwise negotiated and approved in writing by AN AUTHORIZED REPRESENTATIVE OF Eleek. This limited warranty does not cover any damage to the Product resulting from: (a) unusual or excessive wear and tear; (b) improper installation; (c) use or maintenance in violation of product usage guidelines; (d) accident, abuse, neglect or misuse; or (e) failure of a third party's product. This limited warranty does not cover variations in dye lots, gauges, textures and finishes that may vary slightly between the samples provided to Purchaser and the Product actually delivered. This limited warranty will be void if the Product is altered or repaired by anyone other than Eleek or its authorized agents. Applied finishes (powerdercoat, Artist Patina, etc.) and electrical components are guaranteed for one year from the date of purchase.

LIMITED REMEDY: If the Product fails to conform to the limited warranty in the preceding section and if: (a) Purchaser provides prompt written notice specifying in detail the nonconformity or defect within five business days of delivery of the Product and in any event before the Product has been installed; (b) within 10 days after written authorization from Eleek, Purchaser returns the nonconforming or defective Product to Eleek at Purchaser expense; and (c) Eleek determines that the Product is in fact nonconforming or defective: then, Eleek will, at its option, either repair or replace the Product or refund the purchase price for that Product. The preceding remedy is Purchaser's sole and exclusive remedy for breach of WARRANTY.

INDEMNITY: (a) Purchaser will indemnify, defend and hold Eleek (and its successors and assigns) harmless from and against any and all damages paid or payable to any unrelated person, including reasonable attorney fees,

arising from or related to any of the following: (i) if Purchaser designed or furnished the specifications, designs or drawings for the Product, (A) any product liability claim (except product liability claims caused solely by defects in the materials or workmanship supplied by Eleek) and/or (B) any claim that the Product infringes or misappropriates any other person's Intellectual Property Rights; (C) any claim arising from improper alteration, installation, repair, maintenance or use of the Product; and (D) any claims arising from failure to provide, implement or enforce any Product safety notices. (b) If Eleek designed or furnished the specifications, designs and drawings for the Product, Eleek will indemnify, defend and hold Purchaser harmless from and against any claim that the Product infringes or misappropriates any other person's intellectual property rights. The obligation of each party (the "Indemnitor") to indemnify the other party under this section is conditioned upon that other party: (i) giving the Indemnitor prompt written notice of the indemnified claim (except any delay in giving notice will not limit the Indemnitor's obligations unless it has been prejudiced by the delay and then only to the extent of the prejudice); (ii) tendering defense and settlement of that claim to the Indemnitor; and (iii) cooperating with the Indemnitor in the defense of the claim.

LIMITATION OF LIABILITY: IN NO
EVENT WILL ELEEK BE LIABLE FOR ANY LOST
PROFITS, LOSS OF USE OR ANY INCIDENTAL,
CONSEQUENTIAL, SPECIAL, EXEMPLARY OR
PUNITIVE DAMAGES, AND IN NO EVENT WILL
ELEEK'S LIABILITY EXCEED THE PRICE OF THE
PRODUCT GIVING RISE TO THE LIABILITY, WHETHER
IN CONTRACT, TORT OR OTHERWISE.

CONSUMER DISCLOSURES: TO THE EXTENT PURCHASER IS A CONSUMER AND A PRODUCT WILL BE USED FOR PERSONAL, HOUSEHOLD OR FAMILY USE, ELEEK MAKES THE FOLLOWING DISCLOSURES: SOME STATES DO NOT ALLOW LIMITATIONS ON HOW LONG AN IMPLIED WARRANTY LASTS, SO THE ABOVE LIMITATIONS MAY NOT APPLY TO YOU. SOME STATES DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THE ABOVE LIMITATIONS MAY NOT APPLY TO YOU. THIS WARRANTY GIVES YOU

SPECIFIC LEGAL RIGHTS, AND YOU MAY ALSO HAVE OTHER RIGHTS WHICH VARY FROM STATE TO STATE.

FORCE MAJEURE: If a delivery date for any Product is specified in an Order or otherwise, that date will be extended to the extent delivery of a Product is delayed due to war, mobilization, insurrection, rebellion, civil commotion, riot, act of an extremist or public enemy, sabotage, labor dispute, lockout, strike, explosion, fire, natural disaster, accident, power failure, inability to obtain suitable and sufficient energy, labor or material, delay of carriers, embargo, any existing or future law, ordinance, rule or regulation, whether valid or invalid, of the federal or of any state or foreign government effecting the conduct of business, including priority, requisition, allocation or price control, or any other cause beyond Eleek's reasonable control, affecting Eleek's ability to comply with the Order.

AMENDMENTS; WAIVERS. These Terms may not be waived, modified or expanded (including by course of performance, course of dealing or usage of trade), unless otherwise negotiated and approved in writing by Eleek.

ASSIGNMENT: Purchaser will not assign any Order without Eleek's written consent.

JURISDICTION: Purchaser irrevocably consents to jurisdiction of and venue in any state or federal court located in Portland, Oregon related to the Order, these Terms or any Product, and Purchaser will not initiate any action against Eleek in any other jurisdiction. These Terms and any other dispute between the parties related to any Product or Order will be governed by Oregon law, excluding conflicts of law or choice of law rules, provisions, or principles.

SEVERABILITY: If any provision of the Order or these Terms is held unenforceable by a court of competent jurisdiction, that portion will continue in effect only to the extent that it is enforceable, and the remaining portions will remain in full force and effect.

